




CH01:No.23 GL-25.55m AX
max. = 4.395 (gal)
min. = -3.967 (gal)




CH02:No.23 GL-25.55m AY
max. = 4.822 (gal)
min. = -4.089 (gal)




CH03:No.23 GL-25.55m AZ
max. = 2.930 (gal)
min. = -2.808 (gal)




CH04:No.23 GL-1.5m AX
max. = 9.216 (gal)
min. = -9.521 (gal)




CH05:No.23 GL-1.5m AY
max. = 9.277 (gal)
min. = -7.080 (gal)




CH06:No.23 GL-1.5m AZ
max. = 3.662 (gal)
min. = -2.747 (gal)




CH23:No.23 B2F VX
max. = 1.721 (kine)
min. = -1.501 (kine)




CH24:No.23 B2F VY
max. = 1.855 (kine)
min. = -2.448 (kine)




CH25:No.23 B2F VZ
max. = 1.025 (kine)
min. = -1.129 (kine)




CH26:No.23 B2F AX
max. = 5.676 (gal)
min. = -5.066 (gal)




CH27:No.23 B2F AY
max. = 5.737 (gal)
min. = -4.944 (gal)




CH28:No.23 B2F AZ
max. = 2.686 (gal)
min. = -3.052 (gal)




CH29:No.23 B1F AX
max. = 7.080 (gal)
min. = -6.287 (gal)




CH30:No.23 B1F AY
max. = 5.127 (gal)
min. = -6.775 (gal)




CH31:No.23 B1F AZ
max. = 3.052 (gal)
min. = -3.418 (gal)




CH32:No.1 B1F VX
max. = 1.636 (kine)
min. = -1.221 (kine)



CH33:No.1 B1F VY
max. = 1.935 (kine)
min. = -2.466 (kine)




CH34:No.1 B1F VZ
max. = 1.007 (kine)
min. = -1.093 (kine)




0 20 40 60 80 100 120 140 160 (Sec)


CH35:No.1 B1F AX
max. = 6.958 (gal)
min. = -6.775 (gal)




CH36:No.1 B1F AY
max. = 6.592 (gal)
min. = -5.859 (gal)




CH37:No.1 B1F AZ
max. = 2.869 (gal)
min. = -3.723 (gal)




CH42:No.1 1F AX
max. = 7.751 (gal)
min. = -6.775 (gal)




CH43:No.1 1F AY
max. = 7.141 (gal)
min. = -6.470 (gal)




CH44:No.1 1F AZ
max. = 2.991 (gal)
min. = -3.723 (gal)




CH45:No.23 3F AX
max. = 6.226 (gal)
min. = -6.165 (gal)




CH46:No.23 3F AY
max. = 5.493 (gal)
min. = -5.859 (gal)




CH47:No.23 3F AZ
max. = 3.235 (gal)
min. = -3.479 (gal)




CH48:No.1 3F AX
max. = 14.099 (gal)
min. = -12.024 (gal)




CH49:No.1 3F AY
max. = 9.460 (gal)
min. = -11.292 (gal)




CH50:No.1 3F AZ
max. = 3.418 (gal)
min. = -4.028 (gal)




CH51:No.23 6F AX
max. = 5.432 (gal)
min. = -5.798 (gal)




CH52:No.23 6F AY
max. = 5.981 (gal)
min. = -5.676 (gal)




CH53:No.23 6F AZ
max. = 3.479 (gal)
min. = -3.723 (gal)




CH54:No.1 6F AX
max. = 18.066 (gal)
min. = -18.433 (gal)




CH55:No.1 6F AY
max. = 15.686 (gal)
min. = -17.090 (gal)




CH56:No.1 6F AZ
max. = 3.845 (gal)
min. = -5.066 (gal)




CH57:No.23 8F VZ
max. = 1.044 (kine)
min. = -1.135 (kine)




CH58:No.23 8F AX
max. = 7.019 (gal)
min. = -7.080 (gal)




CH59:No.23 8F AY
max. = 6.653 (gal)
min. = -6.592 (gal)




CH60:No.23 8F AZ
max. = 3.845 (gal)
min. = -3.845 (gal)




CH61:No.1 8F VZ
max. = 1.080 (kine)
min. = -1.105 (kine)




CH62:No.1 8F AX
max. = 18.799 (gal)
min. = -20.630 (gal)




CH63:No.1 8F AY
max. = 20.630 (gal)
min. = -22.705 (gal)




CH64:No.1 8F AZ
max. = 4.333 (gal)
min. = -6.042 (gal)




CH65:No.23 8F VX
max. = 2.008 (kine)
min. = -1.825 (kine)



CH66:No.23 8F VY
max. = 2.075 (kine)
min. = -2.594 (kine)



CH67:No.1 8F VX
max. = 3.113 (kine)
min. = -2.991 (kine)



CH68:No.1 8F VY
max. = 2.795 (kine)
min. = -3.113 (kine)

