




CH01:No.23 GL-25.55m AX
max. = 7.813 (gal)
min. = -11.108 (gal)




CH02:No.23 GL-25.55m AY
max. = 6.348 (gal)
min. = -6.653 (gal)




CH03:No.23 GL-25.55m AZ
max. = 6.409 (gal)
min. = -4.883 (gal)




CH04:No.23 GL-1.5m AX
max. = 25.269 (gal)
min. = -36.255 (gal)




CH05:No.23 GL-1.5m AY
max. = 20.630 (gal)
min. = -27.283 (gal)




CH06:No.23 GL-1.5m AZ
max. = 12.085 (gal)
min. = -10.925 (gal)




CH26:No.23 B2F AX
max. = 14.771 (gal)
min. = -21.240 (gal)



CH27:No.23 B2F AY
max. = 9.827 (gal)
min. = -9.460 (gal)




CH28:No.23 B2F AZ
max. = 5.554 (gal)
min. = -4.150 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 9.277 (gal)
min. = -10.010 (gal)




CH30:No.23 B1F AY
max. = 6.897 (gal)
min. = -8.606 (gal)




CH31:No.23 B1F AZ
max. = 6.714 (gal)
min. = -6.226 (gal)




CH35:No.1 B1F AX
max. = 11.475 (gal)
min. = -18.250 (gal)




CH36:No.1 B1F AY
max. = 13.916 (gal)
min. = -9.949 (gal)




CH37:No.1 B1F AZ
max. = 6.470 (gal)
min. = -6.104 (gal)




CH42:No.1 1F AX
max. = 12.878 (gal)
min. = -17.578 (gal)




CH43:No.1 1F AY
max. = 15.930 (gal)
min. = -11.597 (gal)




CH44:No.1 1F AZ
max. = 5.615 (gal)
min. = -6.226 (gal)




CH45:No.23 3F AX
max. = 6.531 (gal)
min. = -4.822 (gal)




CH46:No.23 3F AY
max. = 4.700 (gal)
min. = -4.578 (gal)




CH47:No.23 3F AZ
max. = 7.935 (gal)
min. = -7.202 (gal)




CH48:No.1 3F AX
max. = 25.391 (gal)
min. = -26.855 (gal)




CH49:No.1 3F AY
max. = 20.325 (gal)
min. = -15.930 (gal)




CH50:No.1 3F AZ
max. = 12.268 (gal)
min. = -10.132 (gal)




CH51:No.23 6F AX
max. = 6.775 (gal)
min. = -4.028 (gal)



CH52:No.23 6F AY
max. = 4.517 (gal)
min. = -5.188 (gal)




CH53:No.23 6F AZ
max. = 9.155 (gal)
min. = -8.118 (gal)




(Sec)


CH54:No.1 6F AX
max. = 20.386 (gal)
min. = -23.804 (gal)




CH55:No.1 6F AY
max. = 17.456 (gal)
min. = -22.217 (gal)




CH56:No.1 6F AZ
max. = 18.433 (gal)
min. = -18.188 (gal)




CH58:No.23 8F AX
max. = 11.658 (gal)
min. = -9.399 (gal)




CH59:No.23 8F AY
max. = 6.653 (gal)
min. = -8.423 (gal)




CH60:No.23 8F AZ
max. = 9.949 (gal)
min. = -9.338 (gal)



CH62:No.1 8F AX
max. = 16.663 (gal)
min. = -19.287 (gal)



CH63:No.1 8F AY
max. = 21.729 (gal)
min. = -22.278 (gal)



CH64:No.1 8F AZ
max. = 22.949 (gal)
min. = -23.071 (gal)

