




CH01:No.23 GL-25.55m AX
max. = 6.714 (gal)
min. = -5.371 (gal)




CH02:No.23 GL-25.55m AY
max. = 5.249 (gal)
min. = -6.470 (gal)




CH03:No.23 GL-25.55m AZ
max. = 3.967 (gal)
min. = -5.371 (gal)




CH04:No.23 GL-1.5m AX
max. = 16.235 (gal)
min. = -27.222 (gal)




CH05:No.23 GL-1.5m AY
max. = 22.949 (gal)
min. = -28.076 (gal)




CH06:No.23 GL-1.5m AZ
max. = 10.498 (gal)
min. = -13.184 (gal)




CH26:No.23 B2F AX
max. = 6.348 (gal)
min. = -6.958 (gal)




CH27:No.23 B2F AY
max. = 9.338 (gal)
min. = -7.324 (gal)




CH28:No.23 B2F AZ
max. = 5.676 (gal)
min. = -4.700 (gal)




CH29:No.23 B1F AX
max. = 5.859 (gal)
min. = -7.568 (gal)




CH30:No.23 B1F AY
max. = 6.165 (gal)
min. = -6.165 (gal)




CH31:No.23 B1F AZ
max. = 6.470 (gal)
min. = -6.653 (gal)




CH35:No.1 B1F AX
max. = 9.583 (gal)
min. = -14.099 (gal)




CH36:No.1 B1F AY
max. = 10.071 (gal)
min. = -12.512 (gal)




CH37:No.1 B1F AZ
max. = 5.249 (gal)
min. = -5.737 (gal)




CH42:No.1 1F AX
max. = 11.292 (gal)
min. = -14.465 (gal)



CH43:No.1 1F AY
max. = 11.536 (gal)
min. = -13.306 (gal)




CH44:No.1 1F AZ
max. = 6.531 (gal)
min. = -6.775 (gal)




(Sec)


CH45:No.23 3F AX
max. = 4.211 (gal)
min. = -5.554 (gal)




CH46:No.23 3F AY
max. = 5.310 (gal)
min. = -4.944 (gal)




CH47:No.23 3F AZ
max. = 8.484 (gal)
min. = -7.568 (gal)




CH48:No.1 3F AX
max. = 18.188 (gal)
min. = -20.752 (gal)




CH49:No.1 3F AY
max. = 14.160 (gal)
min. = -18.738 (gal)




CH50:No.1 3F AZ
max. = 11.230 (gal)
min. = -10.376 (gal)




CH51:No.23 6F AX
max. = 3.845 (gal)
min. = -4.395 (gal)



CH52:No.23 6F AY
max. = 2.930 (gal)
min. = -4.211 (gal)




CH53:No.23 6F AZ
max. = 10.437 (gal)
min. = -8.423 (gal)




(Sec)


CH54:No.1 6F AX
max. = 16.663 (gal)
min. = -18.555 (gal)




CH55:No.1 6F AY
max. = 8.545 (gal)
min. = -9.094 (gal)




CH56:No.1 6F AZ
max. = 16.968 (gal)
min. = -16.785 (gal)




CH58:No.23 8F AX
max. = 6.042 (gal)
min. = -5.981 (gal)




CH59:No.23 8F AY
max. = 6.897 (gal)
min. = -6.165 (gal)




CH60:No.23 8F AZ
max. = 11.597 (gal)
min. = -9.766 (gal)



CH62:No.1 8F AX
max. = 10.986 (gal)
min. = -11.963 (gal)



CH63:No.1 8F AY
max. = 10.864 (gal)
min. = -9.705 (gal)



CH64:No.1 8F AZ
max. = 21.240 (gal)
min. = -19.959 (gal)

