




CH01:No.23 GL-21.8m AX
max. = 6.897 (gal)
min. = -3.723 (gal)




CH02:No.23 GL-21.8m AY
max. = 3.845 (gal)
min. = -4.395 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.639 (gal)
min. = -5.920 (gal)




CH04:No.23 GL-1.5m AX
max. = 22.888 (gal)
min. = -17.700 (gal)




CH05:No.23 GL-1.5m AY
max. = 15.869 (gal)
min. = -19.775 (gal)




CH06:No.23 GL-1.5m AZ
max. = 14.282 (gal)
min. = -14.465 (gal)




CH26:No.23 B2F AX
max. = 9.338 (gal)
min. = -7.324 (gal)



CH27:No.23 B2F AY
max. = 4.822 (gal)
min. = -6.226 (gal)




CH28:No.23 B2F AZ
max. = 10.071 (gal)
min. = -8.728 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 4.639 (gal)
min. = -3.113 (gal)




CH30:No.23 B1F AY
max. = 5.737 (gal)
min. = -5.005 (gal)




CH31:No.23 B1F AZ
max. = 17.090 (gal)
min. = -17.456 (gal)




CH35:No.1 B1F AX
max. = 16.357 (gal)
min. = -7.446 (gal)




CH36:No.1 B1F AY
max. = 7.874 (gal)
min. = -10.925 (gal)




CH37:No.1 B1F AZ
max. = 10.559 (gal)
min. = -15.503 (gal)




CH42:No.1 1F AX
max. = 18.616 (gal)
min. = -6.958 (gal)



CH43:No.1 1F AY
max. = 9.888 (gal)
min. = -12.817 (gal)




CH44:No.1 1F AZ
max. = 13.489 (gal)
min. = -16.846 (gal)




(Sec)


CH45:No.23 3F AX
max. = 3.784 (gal)
min. = -3.723 (gal)




CH46:No.23 3F AY
max. = 3.662 (gal)
min. = -3.357 (gal)




CH47:No.23 3F AZ
max. = 12.390 (gal)
min. = -15.381 (gal)




CH48:No.1 3F AX
max. = 19.348 (gal)
min. = -14.465 (gal)




CH49:No.1 3F AY
max. = 12.268 (gal)
min. = -14.160 (gal)




CH50:No.1 3F AZ
max. = 13.855 (gal)
min. = -13.000 (gal)




CH51:No.23 6F AX
max. = 4.028 (gal)
min. = -2.869 (gal)



CH52:No.23 6F AY
max. = 2.075 (gal)
min. = -1.770 (gal)




CH53:No.23 6F AZ
max. = 10.437 (gal)
min. = -14.893 (gal)




(Sec)


CH54:No.1 6F AX
max. = 16.296 (gal)
min. = -10.620 (gal)




CH55:No.1 6F AY
max. = 10.132 (gal)
min. = -10.864 (gal)




CH56:No.1 6F AZ
max. = 21.423 (gal)
min. = -18.127 (gal)




CH58:No.23 8F AX
max. = 5.127 (gal)
min. = -3.235 (gal)




CH59:No.23 8F AY
max. = 4.028 (gal)
min. = -4.028 (gal)




CH60:No.23 8F AZ
max. = 12.817 (gal)
min. = -16.418 (gal)




CH62:No.1 8F AX
max. = 10.437 (gal)
min. = -8.301 (gal)



CH63:No.1 8F AY
max. = 8.301 (gal)
min. = -8.545 (gal)



CH64:No.1 8F AZ
max. = 24.719 (gal)
min. = -21.362 (gal)



(Sec)