




CH01:No.23 GL-21.8m AX
max. = 7.568 (gal)
min. = -5.981 (gal)




CH02:No.23 GL-21.8m AY
max. = 6.348 (gal)
min. = -4.944 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.883 (gal)
min. = -3.662 (gal)




CH04:No.23 GL-1.5m AX
max. = 30.396 (gal)
min. = -29.236 (gal)




CH05:No.23 GL-1.5m AY
max. = 20.203 (gal)
min. = -22.156 (gal)




CH06:No.23 GL-1.5m AZ
max. = 12.817 (gal)
min. = -11.841 (gal)




CH26:No.23 B2F AX
max. = 7.080 (gal)
min. = -9.399 (gal)



CH27:No.23 B2F AY
max. = 7.690 (gal)
min. = -6.165 (gal)




CH28:No.23 B2F AZ
max. = 5.981 (gal)
min. = -6.470 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 5.981 (gal)
min. = -5.371 (gal)




CH30:No.23 B1F AY
max. = 5.127 (gal)
min. = -6.470 (gal)




CH31:No.23 B1F AZ
max. = 10.498 (gal)
min. = -13.123 (gal)




CH35:No.1 B1F AX
max. = 16.174 (gal)
min. = -17.212 (gal)




CH36:No.1 B1F AY
max. = 11.719 (gal)
min. = -11.719 (gal)




CH37:No.1 B1F AZ
max. = 5.859 (gal)
min. = -6.104 (gal)




CH42:No.1 1F AX
max. = 16.235 (gal)
min. = -17.639 (gal)




CH43:No.1 1F AY
max. = 12.878 (gal)
min. = -12.573 (gal)




CH44:No.1 1F AZ
max. = 6.592 (gal)
min. = -6.531 (gal)




CH45:No.23 3F AX
max. = 4.883 (gal)
min. = -3.845 (gal)




CH46:No.23 3F AY
max. = 4.028 (gal)
min. = -3.540 (gal)




CH47:No.23 3F AZ
max. = 12.451 (gal)
min. = -13.672 (gal)




CH48:No.1 3F AX
max. = 21.484 (gal)
min. = -20.264 (gal)




CH49:No.1 3F AY
max. = 16.052 (gal)
min. = -18.799 (gal)




CH50:No.1 3F AZ
max. = 8.179 (gal)
min. = -9.277 (gal)




CH51:No.23 6F AX
max. = 3.784 (gal)
min. = -5.188 (gal)



CH52:No.23 6F AY
max. = 3.235 (gal)
min. = -2.747 (gal)




CH53:No.23 6F AZ
max. = 17.395 (gal)
min. = -16.663 (gal)




(Sec)


CH54:No.1 6F AX
max. = 20.386 (gal)
min. = -24.475 (gal)




CH55:No.1 6F AY
max. = 12.451 (gal)
min. = -13.733 (gal)




CH56:No.1 6F AZ
max. = 13.000 (gal)
min. = -10.986 (gal)




CH58:No.23 8F AX
max. = 6.592 (gal)
min. = -4.333 (gal)




CH59:No.23 8F AY
max. = 5.615 (gal)
min. = -4.822 (gal)




CH60:No.23 8F AZ
max. = 21.484 (gal)
min. = -20.325 (gal)



CH62:No.1 8F AX
max. = 12.695 (gal)
min. = -14.465 (gal)



CH63:No.1 8F AY
max. = 13.367 (gal)
min. = -13.306 (gal)



CH64:No.1 8F AZ
max. = 16.357 (gal)
min. = -14.648 (gal)

