




CH01:No.23 GL-21.8m AX
max. = 5.798 (gal)
min. = -8.423 (gal)




CH02:No.23 GL-21.8m AY
max. = 5.859 (gal)
min. = -5.066 (gal)




CH03:No.23 GL-21.8m AZ
max. = 5.920 (gal)
min. = -5.310 (gal)




CH04:No.23 GL-1.5m AX
max. = 26.611 (gal)
min. = -20.508 (gal)




CH05:No.23 GL-1.5m AY
max. = 19.775 (gal)
min. = -21.973 (gal)




CH06:No.23 GL-1.5m AZ
max. = 16.968 (gal)
min. = -15.686 (gal)




CH26:No.23 B2F AX
max. = 9.460 (gal)
min. = -8.240 (gal)



CH27:No.23 B2F AY
max. = 7.324 (gal)
min. = -6.958 (gal)




CH28:No.23 B2F AZ
max. = 6.287 (gal)
min. = -7.019 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 6.836 (gal)
min. = -5.737 (gal)




CH30:No.23 B1F AY
max. = 6.287 (gal)
min. = -6.531 (gal)




CH31:No.23 B1F AZ
max. = 14.038 (gal)
min. = -14.526 (gal)




CH35:No.1 B1F AX
max. = 10.986 (gal)
min. = -11.658 (gal)




CH36:No.1 B1F AY
max. = 10.620 (gal)
min. = -10.803 (gal)




CH37:No.1 B1F AZ
max. = 8.545 (gal)
min. = -6.775 (gal)




CH42:No.1 1F AX
max. = 10.925 (gal)
min. = -12.146 (gal)



CH43:No.1 1F AY
max. = 11.597 (gal)
min. = -12.512 (gal)




CH44:No.1 1F AZ
max. = 9.338 (gal)
min. = -8.362 (gal)




0 20 40 60 80 100 120 (Sec)


CH45:No.23 3F AX
max. = 5.859 (gal)
min. = -4.761 (gal)




CH46:No.23 3F AY
max. = 4.944 (gal)
min. = -5.188 (gal)




CH47:No.23 3F AZ
max. = 15.808 (gal)
min. = -15.564 (gal)




CH48:No.1 3F AX
max. = 22.400 (gal)
min. = -15.869 (gal)




CH49:No.1 3F AY
max. = 17.944 (gal)
min. = -18.982 (gal)




CH50:No.1 3F AZ
max. = 12.085 (gal)
min. = -13.794 (gal)




CH51:No.23 6F AX
max. = 5.737 (gal)
min. = -5.188 (gal)



CH52:No.23 6F AY
max. = 4.944 (gal)
min. = -4.578 (gal)




CH53:No.23 6F AZ
max. = 19.470 (gal)
min. = -19.348 (gal)




(Sec)


CH54:No.1 6F AX
max. = 14.954 (gal)
min. = -17.639 (gal)




CH55:No.1 6F AY
max. = 18.860 (gal)
min. = -16.724 (gal)




CH56:No.1 6F AZ
max. = 17.395 (gal)
min. = -19.287 (gal)




CH58:No.23 8F AX
max. = 7.141 (gal)
min. = -6.592 (gal)




CH59:No.23 8F AY
max. = 7.080 (gal)
min. = -6.958 (gal)




CH60:No.23 8F AZ
max. = 21.851 (gal)
min. = -23.499 (gal)




CH62:No.1 8F AX
max. = 21.729 (gal)
min. = -20.752 (gal)



CH63:No.1 8F AY
max. = 18.982 (gal)
min. = -16.785 (gal)



CH64:No.1 8F AZ
max. = 22.339 (gal)
min. = -22.827 (gal)



0 20 40 60 80 100 120 (Sec)