




CH01:No.23 GL-21.8m AX
max. = 2.869 (gal)
min. = -4.089 (gal)




CH02:No.23 GL-21.8m AY
max. = 1.953 (gal)
min. = -2.502 (gal)




CH03:No.23 GL-21.8m AZ
max. = 1.465 (gal)
min. = -1.526 (gal)




CH04:No.23 GL-1.5m AX
max. = 11.841 (gal)
min. = -11.230 (gal)




CH05:No.23 GL-1.5m AY
max. = 9.766 (gal)
min. = -7.996 (gal)




CH06:No.23 GL-1.5m AZ
max. = 3.845 (gal)
min. = -5.371 (gal)




CH26:No.23 B2F AX
max. = 4.333 (gal)
min. = -5.005 (gal)



CH27:No.23 B2F AY
max. = 3.479 (gal)
min. = -3.174 (gal)




CH28:No.23 B2F AZ
max. = 1.465 (gal)
min. = -1.831 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 2.502 (gal)
min. = -3.113 (gal)




CH30:No.23 B1F AY
max. = 2.808 (gal)
min. = -2.991 (gal)




CH31:No.23 B1F AZ
max. = 2.075 (gal)
min. = -2.686 (gal)




CH35:No.1 B1F AX
max. = 7.202 (gal)
min. = -8.057 (gal)




CH36:No.1 B1F AY
max. = 5.493 (gal)
min. = -3.601 (gal)




CH37:No.1 B1F AZ
max. = 1.892 (gal)
min. = -1.831 (gal)




CH42:No.1 1F AX
max. = 7.568 (gal)
min. = -8.484 (gal)



CH43:No.1 1F AY
max. = 5.981 (gal)
min. = -3.784 (gal)




CH44:No.1 1F AZ
max. = 1.953 (gal)
min. = -2.686 (gal)




(Sec)


CH45:No.23 3F AX
max. = 2.014 (gal)
min. = -3.296 (gal)




CH46:No.23 3F AY
max. = 1.892 (gal)
min. = -1.831 (gal)




CH47:No.23 3F AZ
max. = 3.540 (gal)
min. = -3.418 (gal)




CH48:No.1 3F AX
max. = 7.751 (gal)
min. = -6.836 (gal)




CH49:No.1 3F AY
max. = 4.578 (gal)
min. = -4.883 (gal)




CH50:No.1 3F AZ
max. = 3.967 (gal)
min. = -3.418 (gal)




CH51:No.23 6F AX
max. = 3.052 (gal)
min. = -3.235 (gal)



CH52:No.23 6F AY
max. = 2.380 (gal)
min. = -1.770 (gal)




CH53:No.23 6F AZ
max. = 3.357 (gal)
min. = -3.967 (gal)




0 10 20 30 (Sec)


CH54:No.1 6F AX
max. = 8.362 (gal)
min. = -10.437 (gal)




CH55:No.1 6F AY
max. = 5.188 (gal)
min. = -5.188 (gal)




CH56:No.1 6F AZ
max. = 4.822 (gal)
min. = -5.371 (gal)




CH57:No.23 8F VZ
max. = 0.128 (kine)
min. = -0.116 (kine)




CH59:No.23 8F AY
max. = 3.052 (gal)
min. = -2.808 (gal)




CH60:No.23 8F AZ
max. = 3.723 (gal)
min. = -4.761 (gal)




CH62:No.1 8F AX
max. = 7.996 (gal)
min. = -9.033 (gal)



CH63:No.1 8F AY
max. = 6.470 (gal)
min. = -4.211 (gal)



CH64:No.1 8F AZ
max. = 6.653 (gal)
min. = -5.798 (gal)



(Sec)