




CH01:No.23 GL-21.8m AX
max. = 2.197 (gal)
min. = -2.441 (gal)




CH02:No.23 GL-21.8m AY
max. = 2.258 (gal)
min. = -2.258 (gal)




CH03:No.23 GL-21.8m AZ
max. = 2.991 (gal)
min. = -4.333 (gal)




CH04:No.23 GL-1.5m AX
max. = 9.216 (gal)
min. = -8.057 (gal)




CH05:No.23 GL-1.5m AY
max. = 9.460 (gal)
min. = -8.850 (gal)




CH06:No.23 GL-1.5m AZ
max. = 4.272 (gal)
min. = -5.249 (gal)




CH26:No.23 B2F AX
max. = 3.357 (gal)
min. = -3.113 (gal)



CH27:No.23 B2F AY
max. = 3.662 (gal)
min. = -3.357 (gal)




CH28:No.23 B2F AZ
max. = 4.211 (gal)
min. = -4.639 (gal)




0 10 20 30 40 50 (Sec)


CH29:No.23 B1F AX
max. = 2.441 (gal)
min. = -2.869 (gal)




CH30:No.23 B1F AY
max. = 3.052 (gal)
min. = -3.113 (gal)




CH31:No.23 B1F AZ
max. = 3.845 (gal)
min. = -6.409 (gal)




CH35:No.1 B1F AX
max. = 5.432 (gal)
min. = -5.737 (gal)




CH36:No.1 B1F AY
max. = 3.784 (gal)
min. = -4.944 (gal)




CH37:No.1 B1F AZ
max. = 4.089 (gal)
min. = -4.028 (gal)




CH42:No.1 1F AX
max. = 5.859 (gal)
min. = -5.127 (gal)



CH43:No.1 1F AY
max. = 4.456 (gal)
min. = -5.066 (gal)




CH44:No.1 1F AZ
max. = 3.967 (gal)
min. = -4.089 (gal)




(Sec)


CH45:No.23 3F AX
max. = 2.808 (gal)
min. = -2.075 (gal)




CH46:No.23 3F AY
max. = 2.197 (gal)
min. = -2.258 (gal)




CH47:No.23 3F AZ
max. = 3.845 (gal)
min. = -6.653 (gal)




CH48:No.1 3F AX
max. = 7.629 (gal)
min. = -7.874 (gal)




CH49:No.1 3F AY
max. = 7.019 (gal)
min. = -7.019 (gal)




CH50:No.1 3F AZ
max. = 5.920 (gal)
min. = -6.104 (gal)




CH51:No.23 6F AX
max. = 2.808 (gal)
min. = -2.625 (gal)




CH52:No.23 6F AY
max. = 2.197 (gal)
min. = -2.197 (gal)




CH53:No.23 6F AZ
max. = 5.798 (gal)
min. = -7.446 (gal)




CH54:No.1 6F AX
max. = 6.104 (gal)
min. = -8.545 (gal)




CH55:No.1 6F AY
max. = 4.700 (gal)
min. = -4.944 (gal)




CH56:No.1 6F AZ
max. = 9.216 (gal)
min. = -8.606 (gal)




CH57:No.23 8F VZ
max. = 0.281 (kine)
min. = -0.256 (kine)




CH59:No.23 8F AY
max. = 3.235 (gal)
min. = -3.357 (gal)




CH60:No.23 8F AZ
max. = 7.996 (gal)
min. = -9.094 (gal)




CH62:No.1 8F AX
max. = 7.629 (gal)
min. = -7.996 (gal)



CH63:No.1 8F AY
max. = 5.981 (gal)
min. = -5.188 (gal)



CH64:No.1 8F AZ
max. = 11.047 (gal)
min. = -9.644 (gal)



(Sec)