




CH01:No.23 GL-21.8m AX
max. = 4.944 (gal)
min. = -5.554 (gal)




CH02:No.23 GL-21.8m AY
max. = 7.385 (gal)
min. = -5.310 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.456 (gal)
min. = -3.906 (gal)




CH04:No.23 GL-1.5m AX
max. = 11.292 (gal)
min. = -17.944 (gal)




CH05:No.23 GL-1.5m AY
max. = 19.104 (gal)
min. = -19.775 (gal)




CH06:No.23 GL-1.5m AZ
max. = 6.042 (gal)
min. = -6.470 (gal)




CH26:No.23 B2F AX
max. = 6.958 (gal)
min. = -7.202 (gal)




CH27:No.23 B2F AY
max. = 6.592 (gal)
min. = -7.385 (gal)




CH28:No.23 B2F AZ
max. = 4.822 (gal)
min. = -4.211 (gal)




CH29:No.23 B1F AX
max. = 5.249 (gal)
min. = -7.385 (gal)




CH30:No.23 B1F AY
max. = 7.629 (gal)
min. = -5.920 (gal)




CH31:No.23 B1F AZ
max. = 5.615 (gal)
min. = -7.324 (gal)




CH35:No.1 B1F AX
max. = 8.301 (gal)
min. = -9.644 (gal)




CH36:No.1 B1F AY
max. = 8.972 (gal)
min. = -8.789 (gal)




CH37:No.1 B1F AZ
max. = 4.272 (gal)
min. = -5.615 (gal)




CH42:No.1 1F AX
max. = 8.301 (gal)
min. = -9.216 (gal)



CH43:No.1 1F AY
max. = 9.705 (gal)
min. = -9.583 (gal)




CH44:No.1 1F AZ
max. = 4.395 (gal)
min. = -5.371 (gal)




(Sec)


CH45:No.23 3F AX
max. = 5.127 (gal)
min. = -5.371 (gal)




CH46:No.23 3F AY
max. = 5.981 (gal)
min. = -5.615 (gal)




CH47:No.23 3F AZ
max. = 6.287 (gal)
min. = -7.446 (gal)




CH48:No.1 3F AX
max. = 12.939 (gal)
min. = -16.479 (gal)




CH49:No.1 3F AY
max. = 14.282 (gal)
min. = -15.686 (gal)




CH50:No.1 3F AZ
max. = 7.080 (gal)
min. = -6.653 (gal)




CH51:No.23 6F AX
max. = 5.005 (gal)
min. = -5.371 (gal)



CH52:No.23 6F AY
max. = 6.470 (gal)
min. = -6.470 (gal)




CH53:No.23 6F AZ
max. = 6.897 (gal)
min. = -8.118 (gal)




(Sec)


CH54:No.1 6F AX
max. = 17.700 (gal)
min. = -16.968 (gal)




CH55:No.1 6F AY
max. = 14.954 (gal)
min. = -15.808 (gal)




CH56:No.1 6F AZ
max. = 11.475 (gal)
min. = -10.193 (gal)




CH58:No.23 8F AX
max. = 6.409 (gal)
min. = -6.775 (gal)




CH59:No.23 8F AY
max. = 7.080 (gal)
min. = -7.019 (gal)




CH60:No.23 8F AZ
max. = 8.606 (gal)
min. = -8.301 (gal)




CH62:No.1 8F AX
max. = 21.729 (gal)
min. = -21.484 (gal)



CH63:No.1 8F AY
max. = 17.761 (gal)
min. = -21.301 (gal)



CH64:No.1 8F AZ
max. = 13.611 (gal)
min. = -12.329 (gal)



(Sec)