



QUAKE
2011/04/12 08:08:40.145 遅延時間:20.00Sec(時刻修正:04/12 08:00:00)


CH01:No.23 GL-21.8m AX
max. = 9.033 (gal)
min. = -7.080 (gal)




CH02:No.23 GL-21.8m AY
max. = 6.226 (gal)
min. = -6.592 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.395 (gal)
min. = -5.981 (gal)




CH04:No.23 GL-1.5m AX
max. = 19.897 (gal)
min. = -15.564 (gal)




CH05:No.23 GL-1.5m AY
max. = 15.259 (gal)
min. = -15.808 (gal)




CH06:No.23 GL-1.5m AZ
max. = 7.019 (gal)
min. = -8.545 (gal)




CH26:No.23 B2F AX
max. = 9.644 (gal)
min. = -7.935 (gal)




CH27:No.23 B2F AY
max. = 6.836 (gal)
min. = -6.409 (gal)




CH28:No.23 B2F AZ
max. = 3.906 (gal)
min. = -3.967 (gal)




CH29:No.23 B1F AX
max. = 7.874 (gal)
min. = -8.240 (gal)




CH30:No.23 B1F AY
max. = 6.104 (gal)
min. = -7.813 (gal)




CH31:No.23 B1F AZ
max. = 4.761 (gal)
min. = -4.578 (gal)




CH35:No.1 B1F AX
max. = 14.160 (gal)
min. = -9.033 (gal)




CH36:No.1 B1F AY
max. = 10.925 (gal)
min. = -8.850 (gal)




CH37:No.1 B1F AZ
max. = 4.700 (gal)
min. = -4.395 (gal)




CH42:No.1 1F AX
max. = 14.954 (gal)
min. = -8.850 (gal)



CH43:No.1 1F AY
max. = 11.719 (gal)
min. = -9.583 (gal)




CH44:No.1 1F AZ
max. = 4.578 (gal)
min. = -5.920 (gal)




(Sec)


CH45:No.23 3F AX
max. = 6.348 (gal)
min. = -7.080 (gal)




CH46:No.23 3F AY
max. = 6.409 (gal)
min. = -5.676 (gal)




CH47:No.23 3F AZ
max. = 5.127 (gal)
min. = -5.005 (gal)




CH48:No.1 3F AX
max. = 14.771 (gal)
min. = -13.306 (gal)




CH49:No.1 3F AY
max. = 16.541 (gal)
min. = -15.564 (gal)




CH50:No.1 3F AZ
max. = 9.033 (gal)
min. = -8.057 (gal)




CH51:No.23 6F AX
max. = 6.836 (gal)
min. = -6.165 (gal)



CH52:No.23 6F AY
max. = 6.348 (gal)
min. = -5.676 (gal)




CH53:No.23 6F AZ
max. = 5.920 (gal)
min. = -6.042 (gal)




0 20 40 60 80 100 120 (Sec)


CH54:No.1 6F AX
max. = 23.010 (gal)
min. = -22.766 (gal)




CH55:No.1 6F AY
max. = 26.428 (gal)
min. = -26.550 (gal)




CH56:No.1 6F AZ
max. = 14.709 (gal)
min. = -11.230 (gal)




CH58:No.23 8F AX
max. = 8.667 (gal)
min. = -9.216 (gal)




CH59:No.23 8F AY
max. = 7.019 (gal)
min. = -8.789 (gal)




CH60:No.23 8F AZ
max. = 6.165 (gal)
min. = -6.897 (gal)




CH62:No.1 8F AX
max. = 25.818 (gal)
min. = -24.170 (gal)



CH63:No.1 8F AY
max. = 36.621 (gal)
min. = -38.086 (gal)



CH64:No.1 8F AZ
max. = 17.090 (gal)
min. = -14.160 (gal)



0 20 40 60 80 100 120 (Sec)