




CH01:No.23 GL-21.8m AX
max. = 8.667 (gal)
min. = -6.592 (gal)




CH02:No.23 GL-21.8m AY
max. = 5.493 (gal)
min. = -7.568 (gal)




CH03:No.23 GL-21.8m AZ
max. = 5.127 (gal)
min. = -4.333 (gal)




CH04:No.23 GL-1.5m AX
max. = 20.813 (gal)
min. = -17.456 (gal)




CH05:No.23 GL-1.5m AY
max. = 22.217 (gal)
min. = -20.020 (gal)




CH06:No.23 GL-1.5m AZ
max. = 7.568 (gal)
min. = -8.362 (gal)




CH26:No.23 B2F AX
max. = 7.507 (gal)
min. = -9.216 (gal)



CH27:No.23 B2F AY
max. = 7.141 (gal)
min. = -8.667 (gal)




CH28:No.23 B2F AZ
max. = 4.822 (gal)
min. = -4.089 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 4.395 (gal)
min. = -5.127 (gal)




CH30:No.23 B1F AY
max. = 7.874 (gal)
min. = -6.592 (gal)




CH31:No.23 B1F AZ
max. = 6.287 (gal)
min. = -5.798 (gal)




CH35:No.1 B1F AX
max. = 12.878 (gal)
min. = -14.648 (gal)




CH36:No.1 B1F AY
max. = 14.221 (gal)
min. = -18.860 (gal)




CH37:No.1 B1F AZ
max. = 4.517 (gal)
min. = -4.578 (gal)




CH42:No.1 1F AX
max. = 13.123 (gal)
min. = -15.076 (gal)



CH43:No.1 1F AY
max. = 15.198 (gal)
min. = -20.264 (gal)




CH44:No.1 1F AZ
max. = 6.226 (gal)
min. = -5.676 (gal)




(Sec)


CH45:No.23 3F AX
max. = 4.211 (gal)
min. = -3.967 (gal)




CH46:No.23 3F AY
max. = 5.859 (gal)
min. = -6.165 (gal)




CH47:No.23 3F AZ
max. = 6.592 (gal)
min. = -6.531 (gal)




CH48:No.1 3F AX
max. = 19.409 (gal)
min. = -16.479 (gal)




CH49:No.1 3F AY
max. = 17.517 (gal)
min. = -20.569 (gal)




CH50:No.1 3F AZ
max. = 12.268 (gal)
min. = -12.024 (gal)




CH51:No.23 6F AX
max. = 4.150 (gal)
min. = -5.066 (gal)



CH52:No.23 6F AY
max. = 5.310 (gal)
min. = -5.371 (gal)




CH53:No.23 6F AZ
max. = 7.690 (gal)
min. = -7.507 (gal)




0 10 20 30 40 50 60 70 80 (Sec)


CH54:No.1 6F AX
max. = 26.550 (gal)
min. = -22.400 (gal)




CH55:No.1 6F AY
max. = 20.752 (gal)
min. = -26.611 (gal)




CH56:No.1 6F AZ
max. = 19.287 (gal)
min. = -21.057 (gal)




CH58:No.23 8F AX
max. = 4.517 (gal)
min. = -7.019 (gal)




CH59:No.23 8F AY
max. = 9.705 (gal)
min. = -6.653 (gal)




CH60:No.23 8F AZ
max. = 9.521 (gal)
min. = -8.423 (gal)




CH62:No.1 8F AX
max. = 23.376 (gal)
min. = -23.438 (gal)



CH63:No.1 8F AY
max. = 25.574 (gal)
min. = -25.635 (gal)



CH64:No.1 8F AZ
max. = 24.292 (gal)
min. = -23.804 (gal)



(Sec)