




CH01:No.23 GL-21.8m AX
max. = 4.028 (gal)
min. = -4.578 (gal)




CH02:No.23 GL-21.8m AY
max. = 6.531 (gal)
min. = -7.324 (gal)




CH03:No.23 GL-21.8m AZ
max. = 2.991 (gal)
min. = -3.967 (gal)




CH04:No.23 GL-1.5m AX
max. = 10.071 (gal)
min. = -9.583 (gal)




CH05:No.23 GL-1.5m AY
max. = 13.245 (gal)
min. = -15.076 (gal)




CH06:No.23 GL-1.5m AZ
max. = 4.395 (gal)
min. = -3.479 (gal)




CH26:No.23 B2F AX
max. = 5.798 (gal)
min. = -4.822 (gal)



CH27:No.23 B2F AY
max. = 8.057 (gal)
min. = -7.935 (gal)




CH28:No.23 B2F AZ
max. = 2.808 (gal)
min. = -3.845 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 4.700 (gal)
min. = -3.906 (gal)




CH30:No.23 B1F AY
max. = 4.883 (gal)
min. = -4.761 (gal)




CH31:No.23 B1F AZ
max. = 4.211 (gal)
min. = -4.517 (gal)




CH35:No.1 B1F AX
max. = 7.568 (gal)
min. = -8.667 (gal)




CH36:No.1 B1F AY
max. = 8.362 (gal)
min. = -8.179 (gal)




CH37:No.1 B1F AZ
max. = 4.211 (gal)
min. = -3.418 (gal)




CH42:No.1 1F AX
max. = 7.690 (gal)
min. = -8.240 (gal)



CH43:No.1 1F AY
max. = 8.545 (gal)
min. = -8.911 (gal)




CH44:No.1 1F AZ
max. = 3.967 (gal)
min. = -3.357 (gal)




(Sec)


CH45:No.23 3F AX
max. = 4.456 (gal)
min. = -3.662 (gal)




CH46:No.23 3F AY
max. = 4.639 (gal)
min. = -4.395 (gal)




CH47:No.23 3F AZ
max. = 4.883 (gal)
min. = -5.310 (gal)




CH48:No.1 3F AX
max. = 9.338 (gal)
min. = -10.620 (gal)




CH49:No.1 3F AY
max. = 10.681 (gal)
min. = -12.146 (gal)




CH50:No.1 3F AZ
max. = 6.409 (gal)
min. = -4.578 (gal)




CH51:No.23 6F AX
max. = 4.456 (gal)
min. = -3.845 (gal)



CH52:No.23 6F AY
max. = 4.395 (gal)
min. = -5.127 (gal)




CH53:No.23 6F AZ
max. = 5.859 (gal)
min. = -6.287 (gal)




0 10 20 30 40 50 60 70 80 (Sec)


CH54:No.1 6F AX
max. = 13.977 (gal)
min. = -14.648 (gal)




CH55:No.1 6F AY
max. = 23.193 (gal)
min. = -21.118 (gal)




CH56:No.1 6F AZ
max. = 10.010 (gal)
min. = -8.240 (gal)




CH58:No.23 8F AX
max. = 5.737 (gal)
min. = -4.333 (gal)




CH59:No.23 8F AY
max. = 6.409 (gal)
min. = -7.813 (gal)




CH60:No.23 8F AZ
max. = 7.019 (gal)
min. = -7.446 (gal)




CH62:No.1 8F AX
max. = 18.982 (gal)
min. = -17.151 (gal)



CH63:No.1 8F AY
max. = 20.325 (gal)
min. = -23.315 (gal)



CH64:No.1 8F AZ
max. = 11.414 (gal)
min. = -10.681 (gal)



(Sec)