




CH01:No.23 GL-21.8m AX
max. = 3.601 (gal)
min. = -3.418 (gal)




CH02:No.23 GL-21.8m AY
max. = 4.272 (gal)
min. = -4.089 (gal)




CH03:No.23 GL-21.8m AZ
max. = 2.197 (gal)
min. = -2.686 (gal)




CH04:No.23 GL-1.5m AX
max. = 9.155 (gal)
min. = -8.728 (gal)




CH05:No.23 GL-1.5m AY
max. = 11.169 (gal)
min. = -13.794 (gal)




CH06:No.23 GL-1.5m AZ
max. = 4.150 (gal)
min. = -4.211 (gal)




CH26:No.23 B2F AX
max. = 4.700 (gal)
min. = -3.662 (gal)




CH27:No.23 B2F AY
max. = 4.822 (gal)
min. = -4.578 (gal)




CH28:No.23 B2F AZ
max. = 2.502 (gal)
min. = -2.258 (gal)




CH29:No.23 B1F AX
max. = 3.479 (gal)
min. = -3.418 (gal)




CH30:No.23 B1F AY
max. = 5.310 (gal)
min. = -6.592 (gal)




CH31:No.23 B1F AZ
max. = 3.784 (gal)
min. = -3.052 (gal)




CH35:No.1 B1F AX
max. = 7.324 (gal)
min. = -7.874 (gal)




CH36:No.1 B1F AY
max. = 5.432 (gal)
min. = -5.676 (gal)




CH37:No.1 B1F AZ
max. = 2.686 (gal)
min. = -2.930 (gal)




CH42:No.1 1F AX
max. = 7.813 (gal)
min. = -8.179 (gal)



CH43:No.1 1F AY
max. = 6.531 (gal)
min. = -6.042 (gal)




CH44:No.1 1F AZ
max. = 2.625 (gal)
min. = -2.686 (gal)




(Sec)


CH45:No.23 3F AX
max. = 3.052 (gal)
min. = -3.113 (gal)




CH46:No.23 3F AY
max. = 4.333 (gal)
min. = -5.371 (gal)




CH47:No.23 3F AZ
max. = 4.272 (gal)
min. = -3.540 (gal)




CH48:No.1 3F AX
max. = 10.620 (gal)
min. = -10.681 (gal)




CH49:No.1 3F AY
max. = 10.132 (gal)
min. = -9.155 (gal)




CH50:No.1 3F AZ
max. = 5.798 (gal)
min. = -4.761 (gal)




CH51:No.23 6F AX
max. = 3.479 (gal)
min. = -3.357 (gal)



CH52:No.23 6F AY
max. = 4.395 (gal)
min. = -4.944 (gal)




CH53:No.23 6F AZ
max. = 5.127 (gal)
min. = -4.272 (gal)




(Sec)


CH54:No.1 6F AX
max. = 18.494 (gal)
min. = -17.944 (gal)




CH55:No.1 6F AY
max. = 12.512 (gal)
min. = -10.803 (gal)




CH56:No.1 6F AZ
max. = 11.536 (gal)
min. = -8.484 (gal)




CH58:No.23 8F AX
max. = 4.517 (gal)
min. = -4.272 (gal)




CH59:No.23 8F AY
max. = 6.165 (gal)
min. = -6.592 (gal)




CH60:No.23 8F AZ
max. = 5.981 (gal)
min. = -4.761 (gal)




CH62:No.1 8F AX
max. = 19.775 (gal)
min. = -22.949 (gal)



CH63:No.1 8F AY
max. = 14.221 (gal)
min. = -14.221 (gal)



CH64:No.1 8F AZ
max. = 13.550 (gal)
min. = -10.559 (gal)



(Sec)