




CH01:No.23 GL-21.8m AX
max. = 6.348 (gal)
min. = -9.338 (gal)




CH02:No.23 GL-21.8m AY
max. = 5.920 (gal)
min. = -6.287 (gal)




CH03:No.23 GL-21.8m AZ
max. = 6.409 (gal)
min. = -5.371 (gal)




CH04:No.23 GL-1.5m AX
max. = 30.457 (gal)
min. = -20.813 (gal)




CH05:No.23 GL-1.5m AY
max. = 26.611 (gal)
min. = -25.330 (gal)




CH06:No.23 GL-1.5m AZ
max. = 14.404 (gal)
min. = -17.700 (gal)




CH26:No.23 B2F AX
max. = 11.902 (gal)
min. = -13.245 (gal)



CH27:No.23 B2F AY
max. = 7.813 (gal)
min. = -9.705 (gal)




CH28:No.23 B2F AZ
max. = 7.629 (gal)
min. = -5.981 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 2.930 (gal)
min. = -4.028 (gal)




CH30:No.23 B1F AY
max. = 4.028 (gal)
min. = -5.310 (gal)




CH31:No.23 B1F AZ
max. = 10.803 (gal)
min. = -10.315 (gal)




CH35:No.1 B1F AX
max. = 11.536 (gal)
min. = -20.386 (gal)




CH36:No.1 B1F AY
max. = 9.094 (gal)
min. = -9.094 (gal)




CH37:No.1 B1F AZ
max. = 6.897 (gal)
min. = -5.676 (gal)




CH42:No.1 1F AX
max. = 12.329 (gal)
min. = -20.691 (gal)



CH43:No.1 1F AY
max. = 10.437 (gal)
min. = -10.742 (gal)




CH44:No.1 1F AZ
max. = 6.775 (gal)
min. = -7.141 (gal)




0 10 20 30 40 (Sec)


CH45:No.23 3F AX
max. = 3.113 (gal)
min. = -3.662 (gal)




CH46:No.23 3F AY
max. = 3.418 (gal)
min. = -3.723 (gal)




CH47:No.23 3F AZ
max. = 12.512 (gal)
min. = -12.939 (gal)




CH48:No.1 3F AX
max. = 23.438 (gal)
min. = -18.188 (gal)




CH49:No.1 3F AY
max. = 13.794 (gal)
min. = -11.841 (gal)




CH50:No.1 3F AZ
max. = 10.132 (gal)
min. = -12.329 (gal)




CH51:No.23 6F AX
max. = 3.113 (gal)
min. = -3.418 (gal)



CH52:No.23 6F AY
max. = 2.319 (gal)
min. = -2.991 (gal)




CH53:No.23 6F AZ
max. = 14.832 (gal)
min. = -15.930 (gal)




(Sec)


CH54:No.1 6F AX
max. = 18.921 (gal)
min. = -17.761 (gal)




CH55:No.1 6F AY
max. = 10.498 (gal)
min. = -10.864 (gal)




CH56:No.1 6F AZ
max. = 15.137 (gal)
min. = -16.174 (gal)




CH58:No.23 8F AX
max. = 3.174 (gal)
min. = -3.723 (gal)




CH59:No.23 8F AY
max. = 3.967 (gal)
min. = -5.005 (gal)




CH60:No.23 8F AZ
max. = 16.541 (gal)
min. = -18.433 (gal)




CH62:No.1 8F AX
max. = 9.888 (gal)
min. = -14.160 (gal)



CH63:No.1 8F AY
max. = 9.521 (gal)
min. = -11.719 (gal)



CH64:No.1 8F AZ
max. = 19.897 (gal)
min. = -20.386 (gal)



(Sec)