




CH01:No.23 GL-21.8m AX  
max. = 2.258 (gal)  
min. = -2.380 (gal)




CH02:No.23 GL-21.8m AY  
max. = 2.319 (gal)  
min. = -3.235 (gal)




CH03:No.23 GL-21.8m AZ  
max. = 2.625 (gal)  
min. = -1.892 (gal)




CH04:No.23 GL-1.5m AX  
max. = 8.667 (gal)  
min. = -7.629 (gal)




CH05:No.23 GL-1.5m AY  
max. = 10.498 (gal)  
min. = -9.033 (gal)




CH06:No.23 GL-1.5m AZ  
max. = 4.883 (gal)  
min. = -4.211 (gal)




CH26:No.23 B2F AX  
max. = 3.174 (gal)  
min. = -3.113 (gal)



CH27:No.23 B2F AY  
max. = 3.235 (gal)  
min. = -3.601 (gal)




CH28:No.23 B2F AZ  
max. = 2.686 (gal)  
min. = -2.197 (gal)




(Sec)


CH29:No.23 B1F AX  
max. = 2.502 (gal)  
min. = -2.808 (gal)




CH30:No.23 B1F AY  
max. = 3.479 (gal)  
min. = -3.906 (gal)




CH31:No.23 B1F AZ  
max. = 3.601 (gal)  
min. = -3.174 (gal)




CH35:No.1 B1F AX  
max. = 4.456 (gal)  
min. = -4.028 (gal)




CH36:No.1 B1F AY  
max. = 5.859 (gal)  
min. = -5.432 (gal)




CH37:No.1 B1F AZ  
max. = 2.808 (gal)  
min. = -2.258 (gal)




CH42:No.1 1F AX  
max. = 5.188 (gal)  
min. = -4.150 (gal)



CH43:No.1 1F AY  
max. = 6.714 (gal)  
min. = -5.798 (gal)




CH44:No.1 1F AZ  
max. = 2.930 (gal)  
min. = -2.625 (gal)




(Sec)


CH45:No.23 3F AX  
max. = 1.953 (gal)  
min. = -2.258 (gal)




CH46:No.23 3F AY  
max. = 2.625 (gal)  
min. = -2.502 (gal)




CH47:No.23 3F AZ  
max. = 4.028 (gal)  
min. = -3.601 (gal)




CH48:No.1 3F AX  
max. = 9.888 (gal)  
min. = -8.606 (gal)




CH49:No.1 3F AY  
max. = 12.573 (gal)  
min. = -12.390 (gal)



CH50:No.1 3F AZ  
max. = 4.028 (gal)  
min. = -3.967 (gal)



CH51:No.23 6F AX  
max. = 2.319 (gal)  
min. = -1.892 (gal)



CH52:No.23 6F AY  
max. = 2.258 (gal)  
min. = -2.258 (gal)




CH53:No.23 6F AZ  
max. = 4.639 (gal)  
min. = -4.089 (gal)




0 10 20 30 40 (Sec)


CH54:No.1 6F AX  
max. = 6.348 (gal)  
min. = -7.385 (gal)




CH55:No.1 6F AY  
max. = 11.536 (gal)  
min. = -8.972 (gal)




CH56:No.1 6F AZ  
max. = 5.859 (gal)  
min. = -5.554 (gal)




CH58:No.23 8F AX  
max. = 2.686 (gal)  
min. = -3.174 (gal)




CH59:No.23 8F AY  
max. = 3.540 (gal)  
min. = -3.235 (gal)




CH60:No.23 8F AZ  
max. = 4.761 (gal)  
min. = -4.822 (gal)




CH62:No.1 8F AX  
max. = 6.470 (gal)  
min. = -7.446 (gal)



CH63:No.1 8F AY  
max. = 10.681 (gal)  
min. = -11.536 (gal)



CH64:No.1 8F AZ  
max. = 7.690 (gal)  
min. = -6.531 (gal)



(Sec)