




CH01:No.23 GL-21.8m AX
max. = 5.615 (gal)
min. = -5.005 (gal)




CH02:No.23 GL-21.8m AY
max. = 4.822 (gal)
min. = -4.089 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.456 (gal)
min. = -4.578 (gal)




CH04:No.23 GL-1.5m AX
max. = 14.648 (gal)
min. = -17.212 (gal)




CH05:No.23 GL-1.5m AY
max. = 18.738 (gal)
min. = -20.630 (gal)




CH06:No.23 GL-1.5m AZ
max. = 7.446 (gal)
min. = -7.935 (gal)




CH26:No.23 B2F AX
max. = 7.629 (gal)
min. = -8.545 (gal)




CH27:No.23 B2F AY
max. = 6.042 (gal)
min. = -4.578 (gal)




CH28:No.23 B2F AZ
max. = 4.211 (gal)
min. = -3.967 (gal)




CH29:No.23 B1F AX
max. = 5.554 (gal)
min. = -4.211 (gal)




CH30:No.23 B1F AY
max. = 5.005 (gal)
min. = -5.005 (gal)




CH31:No.23 B1F AZ
max. = 5.798 (gal)
min. = -4.822 (gal)




CH35:No.1 B1F AX
max. = 8.362 (gal)
min. = -9.949 (gal)




CH36:No.1 B1F AY
max. = 9.338 (gal)
min. = -11.719 (gal)




CH37:No.1 B1F AZ
max. = 4.456 (gal)
min. = -5.005 (gal)




CH42:No.1 1F AX
max. = 8.606 (gal)
min. = -10.132 (gal)



CH43:No.1 1F AY
max. = 10.071 (gal)
min. = -12.695 (gal)




CH44:No.1 1F AZ
max. = 4.944 (gal)
min. = -4.333 (gal)




(Sec)


CH45:No.23 3F AX
max. = 4.822 (gal)
min. = -4.089 (gal)




CH46:No.23 3F AY
max. = 3.906 (gal)
min. = -3.357 (gal)




CH47:No.23 3F AZ
max. = 5.920 (gal)
min. = -5.493 (gal)




CH48:No.1 3F AX
max. = 17.090 (gal)
min. = -14.099 (gal)




CH49:No.1 3F AY
max. = 17.090 (gal)
min. = -15.320 (gal)




CH50:No.1 3F AZ
max. = 7.385 (gal)
min. = -7.446 (gal)




CH51:No.23 6F AX
max. = 4.211 (gal)
min. = -4.639 (gal)




CH52:No.23 6F AY
max. = 3.845 (gal)
min. = -2.991 (gal)




CH53:No.23 6F AZ
max. = 6.409 (gal)
min. = -6.714 (gal)




CH54:No.1 6F AX
max. = 15.381 (gal)
min. = -14.709 (gal)




CH55:No.1 6F AY
max. = 13.000 (gal)
min. = -14.099 (gal)




CH56:No.1 6F AZ
max. = 11.536 (gal)
min. = -12.451 (gal)




CH58:No.23 8F AX
max. = 6.104 (gal)
min. = -5.798 (gal)




CH59:No.23 8F AY
max. = 6.897 (gal)
min. = -5.005 (gal)




CH60:No.23 8F AZ
max. = 7.263 (gal)
min. = -7.690 (gal)




CH62:No.1 8F AX
max. = 14.099 (gal)
min. = -15.198 (gal)



CH63:No.1 8F AY
max. = 13.855 (gal)
min. = -13.855 (gal)



CH64:No.1 8F AZ
max. = 12.939 (gal)
min. = -14.404 (gal)



(Sec)