




CH01:No.23 GL-21.8m AX
max. = 5.737 (gal)
min. = -5.188 (gal)




CH02:No.23 GL-21.8m AY
max. = 4.028 (gal)
min. = -3.845 (gal)




CH03:No.23 GL-21.8m AZ
max. = 3.845 (gal)
min. = -3.601 (gal)




CH04:No.23 GL-1.5m AX
max. = 18.188 (gal)
min. = -15.869 (gal)




CH05:No.23 GL-1.5m AY
max. = 15.381 (gal)
min. = -14.526 (gal)




CH06:No.23 GL-1.5m AZ
max. = 5.493 (gal)
min. = -6.531 (gal)




CH26:No.23 B2F AX
max. = 6.226 (gal)
min. = -6.836 (gal)



CH27:No.23 B2F AY
max. = 3.662 (gal)
min. = -4.639 (gal)




CH28:No.23 B2F AZ
max. = 5.493 (gal)
min. = -4.517 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 4.517 (gal)
min. = -4.639 (gal)




CH30:No.23 B1F AY
max. = 4.089 (gal)
min. = -4.761 (gal)




CH31:No.23 B1F AZ
max. = 6.653 (gal)
min. = -5.676 (gal)




CH35:No.1 B1F AX
max. = 15.381 (gal)
min. = -13.550 (gal)




CH36:No.1 B1F AY
max. = 8.057 (gal)
min. = -6.165 (gal)




CH37:No.1 B1F AZ
max. = 4.456 (gal)
min. = -6.592 (gal)




CH42:No.1 1F AX
max. = 16.479 (gal)
min. = -14.954 (gal)



CH43:No.1 1F AY
max. = 8.850 (gal)
min. = -6.104 (gal)




CH44:No.1 1F AZ
max. = 5.188 (gal)
min. = -7.385 (gal)




(Sec)


CH45:No.23 3F AX
max. = 4.089 (gal)
min. = -3.723 (gal)




CH46:No.23 3F AY
max. = 2.930 (gal)
min. = -3.479 (gal)




CH47:No.23 3F AZ
max. = 7.751 (gal)
min. = -6.409 (gal)




CH48:No.1 3F AX
max. = 18.372 (gal)
min. = -19.043 (gal)




CH49:No.1 3F AY
max. = 10.132 (gal)
min. = -8.789 (gal)




CH50:No.1 3F AZ
max. = 9.094 (gal)
min. = -9.216 (gal)




CH51:No.23 6F AX
max. = 3.235 (gal)
min. = -2.930 (gal)



CH52:No.23 6F AY
max. = 2.625 (gal)
min. = -2.563 (gal)




CH53:No.23 6F AZ
max. = 8.728 (gal)
min. = -7.202 (gal)




(Sec)


CH54:No.1 6F AX
max. = 18.372 (gal)
min. = -21.057 (gal)




CH55:No.1 6F AY
max. = 9.094 (gal)
min. = -8.423 (gal)




CH56:No.1 6F AZ
max. = 16.846 (gal)
min. = -18.677 (gal)




CH58:No.23 8F AX
max. = 4.211 (gal)
min. = -5.310 (gal)




CH59:No.23 8F AY
max. = 5.005 (gal)
min. = -3.967 (gal)




CH60:No.23 8F AZ
max. = 9.521 (gal)
min. = -9.338 (gal)



CH62:No.1 8F AX
max. = 13.123 (gal)
min. = -12.024 (gal)



CH63:No.1 8F AY
max. = 7.874 (gal)
min. = -8.301 (gal)



CH64:No.1 8F AZ
max. = 20.325 (gal)
min. = -21.912 (gal)

