




CH01:No.23 GL-21.8m AX
max. = 3.784 (gal)
min. = -4.028 (gal)




CH02:No.23 GL-21.8m AY
max. = 3.540 (gal)
min. = -2.930 (gal)




CH03:No.23 GL-21.8m AZ
max. = 5.615 (gal)
min. = -3.418 (gal)




CH04:No.23 GL-1.5m AX
max. = 8.972 (gal)
min. = -9.338 (gal)




CH05:No.23 GL-1.5m AY
max. = 12.390 (gal)
min. = -16.174 (gal)




CH06:No.23 GL-1.5m AZ
max. = 6.226 (gal)
min. = -4.333 (gal)




CH26:No.23 B2F AX
max. = 4.456 (gal)
min. = -5.127 (gal)



CH27:No.23 B2F AY
max. = 4.883 (gal)
min. = -4.456 (gal)




CH28:No.23 B2F AZ
max. = 5.615 (gal)
min. = -4.456 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 3.174 (gal)
min. = -4.211 (gal)




CH30:No.23 B1F AY
max. = 4.089 (gal)
min. = -5.432 (gal)




CH31:No.23 B1F AZ
max. = 8.484 (gal)
min. = -7.324 (gal)




CH35:No.1 B1F AX
max. = 4.761 (gal)
min. = -6.409 (gal)




CH36:No.1 B1F AY
max. = 7.141 (gal)
min. = -5.554 (gal)




CH37:No.1 B1F AZ
max. = 5.859 (gal)
min. = -3.357 (gal)




CH42:No.1 1F AX
max. = 5.066 (gal)
min. = -6.775 (gal)




CH43:No.1 1F AY
max. = 8.179 (gal)
min. = -6.348 (gal)




CH44:No.1 1F AZ
max. = 5.859 (gal)
min. = -3.906 (gal)




CH45:No.23 3F AX
max. = 3.052 (gal)
min. = -2.319 (gal)




CH46:No.23 3F AY
max. = 2.869 (gal)
min. = -2.930 (gal)




CH47:No.23 3F AZ
max. = 10.315 (gal)
min. = -8.972 (gal)




CH48:No.1 3F AX
max. = 9.399 (gal)
min. = -11.414 (gal)




CH49:No.1 3F AY
max. = 9.644 (gal)
min. = -9.033 (gal)




CH50:No.1 3F AZ
max. = 8.179 (gal)
min. = -7.263 (gal)




CH51:No.23 6F AX
max. = 2.930 (gal)
min. = -3.052 (gal)




CH52:No.23 6F AY
max. = 2.258 (gal)
min. = -2.258 (gal)




CH53:No.23 6F AZ
max. = 12.024 (gal)
min. = -10.315 (gal)




CH54:No.1 6F AX
max. = 10.742 (gal)
min. = -8.179 (gal)




CH55:No.1 6F AY
max. = 7.141 (gal)
min. = -6.958 (gal)




CH56:No.1 6F AZ
max. = 13.550 (gal)
min. = -12.085 (gal)




CH58:No.23 8F AX
max. = 2.808 (gal)
min. = -4.822 (gal)




CH59:No.23 8F AY
max. = 4.456 (gal)
min. = -4.761 (gal)




CH60:No.23 8F AZ
max. = 13.428 (gal)
min. = -11.597 (gal)



CH62:No.1 8F AX
max. = 8.240 (gal)
min. = -7.385 (gal)



CH63:No.1 8F AY
max. = 6.714 (gal)
min. = -7.874 (gal)



CH64:No.1 8F AZ
max. = 16.296 (gal)
min. = -14.954 (gal)

