




CH01:No.23 GL-21.8m AX
max. = 6.409 (gal)
min. = -6.592 (gal)




CH02:No.23 GL-21.8m AY
max. = 5.798 (gal)
min. = -10.010 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.272 (gal)
min. = -4.578 (gal)




CH04:No.23 GL-1.5m AX
max. = 15.137 (gal)
min. = -17.395 (gal)




CH05:No.23 GL-1.5m AY
max. = 24.414 (gal)
min. = -18.494 (gal)




CH06:No.23 GL-1.5m AZ
max. = 4.700 (gal)
min. = -6.409 (gal)




CH26:No.23 B2F AX
max. = 8.484 (gal)
min. = -8.179 (gal)



CH27:No.23 B2F AY
max. = 8.789 (gal)
min. = -11.597 (gal)




CH28:No.23 B2F AZ
max. = 5.371 (gal)
min. = -4.944 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 7.080 (gal)
min. = -4.517 (gal)




CH30:No.23 B1F AY
max. = 9.399 (gal)
min. = -8.362 (gal)




CH31:No.23 B1F AZ
max. = 6.653 (gal)
min. = -6.165 (gal)




CH35:No.1 B1F AX
max. = 10.742 (gal)
min. = -12.024 (gal)




CH36:No.1 B1F AY
max. = 15.808 (gal)
min. = -14.832 (gal)




CH37:No.1 B1F AZ
max. = 4.456 (gal)
min. = -5.066 (gal)




CH42:No.1 1F AX
max. = 11.658 (gal)
min. = -12.390 (gal)




CH43:No.1 1F AY
max. = 17.029 (gal)
min. = -15.503 (gal)




CH44:No.1 1F AZ
max. = 5.188 (gal)
min. = -5.371 (gal)




CH45:No.23 3F AX
max. = 4.578 (gal)
min. = -3.296 (gal)




CH46:No.23 3F AY
max. = 5.371 (gal)
min. = -5.432 (gal)




CH47:No.23 3F AZ
max. = 7.141 (gal)
min. = -7.263 (gal)




CH48:No.1 3F AX
max. = 13.855 (gal)
min. = -14.832 (gal)




CH49:No.1 3F AY
max. = 21.667 (gal)
min. = -24.292 (gal)




CH50:No.1 3F AZ
max. = 6.531 (gal)
min. = -7.385 (gal)




CH51:No.23 6F AX
max. = 4.761 (gal)
min. = -3.174 (gal)



CH52:No.23 6F AY
max. = 4.150 (gal)
min. = -5.493 (gal)




CH53:No.23 6F AZ
max. = 8.362 (gal)
min. = -8.545 (gal)




(Sec)


CH54:No.1 6F AX
max. = 15.015 (gal)
min. = -16.113 (gal)




CH55:No.1 6F AY
max. = 19.531 (gal)
min. = -17.212 (gal)




CH56:No.1 6F AZ
max. = 9.705 (gal)
min. = -10.071 (gal)




CH58:No.23 8F AX
max. = 8.911 (gal)
min. = -4.333 (gal)




CH59:No.23 8F AY
max. = 7.324 (gal)
min. = -7.507 (gal)




CH60:No.23 8F AZ
max. = 9.338 (gal)
min. = -9.399 (gal)




CH62:No.1 8F AX
max. = 13.428 (gal)
min. = -16.663 (gal)



CH63:No.1 8F AY
max. = 25.879 (gal)
min. = -25.635 (gal)



CH64:No.1 8F AZ
max. = 10.925 (gal)
min. = -11.719 (gal)



(Sec)