




CH01:No.23 GL-21.8m AX
max. = 4.395 (gal)
min. = -3.662 (gal)




CH02:No.23 GL-21.8m AY
max. = 3.967 (gal)
min. = -2.869 (gal)




CH03:No.23 GL-21.8m AZ
max. = 3.967 (gal)
min. = -3.174 (gal)




CH04:No.23 GL-1.5m AX
max. = 12.451 (gal)
min. = -12.634 (gal)




CH05:No.23 GL-1.5m AY
max. = 13.306 (gal)
min. = -14.221 (gal)




CH06:No.23 GL-1.5m AZ
max. = 5.371 (gal)
min. = -7.263 (gal)




CH26:No.23 B2F AX
max. = 5.554 (gal)
min. = -4.944 (gal)



CH27:No.23 B2F AY
max. = 3.601 (gal)
min. = -3.967 (gal)




CH28:No.23 B2F AZ
max. = 2.869 (gal)
min. = -3.113 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 4.272 (gal)
min. = -4.028 (gal)




CH30:No.23 B1F AY
max. = 3.479 (gal)
min. = -3.784 (gal)




CH31:No.23 B1F AZ
max. = 4.150 (gal)
min. = -3.784 (gal)




CH35:No.1 B1F AX
max. = 8.057 (gal)
min. = -5.981 (gal)




CH36:No.1 B1F AY
max. = 6.042 (gal)
min. = -6.409 (gal)




CH37:No.1 B1F AZ
max. = 4.517 (gal)
min. = -3.235 (gal)




CH42:No.1 1F AX
max. = 9.521 (gal)
min. = -7.141 (gal)



CH43:No.1 1F AY
max. = 6.897 (gal)
min. = -7.019 (gal)




CH44:No.1 1F AZ
max. = 3.662 (gal)
min. = -2.869 (gal)




(Sec)


CH45:No.23 3F AX
max. = 3.235 (gal)
min. = -3.113 (gal)




CH46:No.23 3F AY
max. = 2.747 (gal)
min. = -2.563 (gal)




CH47:No.23 3F AZ
max. = 4.944 (gal)
min. = -4.211 (gal)




CH48:No.1 3F AX
max. = 13.184 (gal)
min. = -10.559 (gal)




CH49:No.1 3F AY
max. = 8.972 (gal)
min. = -9.033 (gal)




CH50:No.1 3F AZ
max. = 4.578 (gal)
min. = -5.066 (gal)




CH51:No.23 6F AX
max. = 3.784 (gal)
min. = -3.296 (gal)



CH52:No.23 6F AY
max. = 2.136 (gal)
min. = -2.319 (gal)




CH53:No.23 6F AZ
max. = 5.920 (gal)
min. = -5.066 (gal)




0 10 20 30 40 50 (Sec)


CH54:No.1 6F AX
max. = 8.118 (gal)
min. = -9.399 (gal)




CH55:No.1 6F AY
max. = 5.920 (gal)
min. = -7.629 (gal)




CH56:No.1 6F AZ
max. = 6.897 (gal)
min. = -7.446 (gal)




CH58:No.23 8F AX
max. = 4.700 (gal)
min. = -4.883 (gal)




CH59:No.23 8F AY
max. = 3.418 (gal)
min. = -3.723 (gal)




CH60:No.23 8F AZ
max. = 6.714 (gal)
min. = -6.287 (gal)




CH62:No.1 8F AX
max. = 10.010 (gal)
min. = -11.169 (gal)



CH63:No.1 8F AY
max. = 11.353 (gal)
min. = -9.460 (gal)



CH64:No.1 8F AZ
max. = 7.751 (gal)
min. = -8.789 (gal)



(Sec)