




CH01:No.23 GL-21.8m AX  
max. = 12.390 (gal)  
min. = -11.597 (gal)




CH02:No.23 GL-21.8m AY  
max. = 14.099 (gal)  
min. = -14.404 (gal)




CH03:No.23 GL-21.8m AZ  
max. = 7.751 (gal)  
min. = -7.446 (gal)




CH04:No.23 GL-1.5m AX  
max. = 34.058 (gal)  
min. = -42.664 (gal)




CH05:No.23 GL-1.5m AY  
max. = 51.575 (gal)  
min. = -65.430 (gal)




CH06:No.23 GL-1.5m AZ  
max. = 22.095 (gal)  
min. = -22.095 (gal)




CH26:No.23 B2F AX  
max. = 15.381 (gal)  
min. = -16.541 (gal)



CH27:No.23 B2F AY  
max. = 13.672 (gal)  
min. = -16.418 (gal)




CH28:No.23 B2F AZ  
max. = 10.254 (gal)  
min. = -9.583 (gal)




(Sec)


CH29:No.23 B1F AX  
max. = 4.822 (gal)  
min. = -6.287 (gal)




CH30:No.23 B1F AY  
max. = 12.573 (gal)  
min. = -12.329 (gal)




CH31:No.23 B1F AZ  
max. = 14.099 (gal)  
min. = -11.169 (gal)




CH35:No.1 B1F AX  
max. = 26.794 (gal)  
min. = -21.790 (gal)




CH36:No.1 B1F AY  
max. = 27.832 (gal)  
min. = -32.166 (gal)




CH37:No.1 B1F AZ  
max. = 7.202 (gal)  
min. = -8.240 (gal)




CH42:No.1 1F AX  
max. = 31.067 (gal)  
min. = -25.940 (gal)



CH43:No.1 1F AY  
max. = 29.236 (gal)  
min. = -33.447 (gal)




CH44:No.1 1F AZ  
max. = 9.888 (gal)  
min. = -9.338 (gal)




(Sec)


CH45:No.23 3F AX  
max. = 5.798 (gal)  
min. = -4.822 (gal)




CH46:No.23 3F AY  
max. = 7.568 (gal)  
min. = -7.568 (gal)




CH47:No.23 3F AZ  
max. = 15.442 (gal)  
min. = -13.000 (gal)




CH48:No.1 3F AX  
max. = 44.678 (gal)  
min. = -39.978 (gal)




CH49:No.1 3F AY  
max. = 29.175 (gal)  
min. = -35.889 (gal)




CH50:No.1 3F AZ  
max. = 13.611 (gal)  
min. = -11.658 (gal)




CH51:No.23 6F AX  
max. = 3.662 (gal)  
min. = -3.601 (gal)




CH52:No.23 6F AY  
max. = 4.700 (gal)  
min. = -5.188 (gal)




CH53:No.23 6F AZ  
max. = 16.663 (gal)  
min. = -14.709 (gal)




CH54:No.1 6F AX  
max. = 37.964 (gal)  
min. = -40.039 (gal)




CH55:No.1 6F AY  
max. = 35.217 (gal)  
min. = -29.907 (gal)




CH56:No.1 6F AZ  
max. = 17.395 (gal)  
min. = -17.639 (gal)




CH58:No.23 8F AX  
max. = 5.066 (gal)  
min. = -4.639 (gal)




CH59:No.23 8F AY  
max. = 10.010 (gal)  
min. = -10.559 (gal)




CH60:No.23 8F AZ  
max. = 17.090 (gal)  
min. = -16.418 (gal)



CH62:No.1 8F AX  
max. = 23.865 (gal)  
min. = -23.743 (gal)



CH63:No.1 8F AY  
max. = 26.184 (gal)  
min. = -16.418 (gal)



CH64:No.1 8F AZ  
max. = 18.860 (gal)  
min. = -20.447 (gal)

