




CH01:No.23 GL-21.8m AX
max. = 8.606 (gal)
min. = -7.263 (gal)




CH02:No.23 GL-21.8m AY
max. = 9.583 (gal)
min. = -6.714 (gal)




CH03:No.23 GL-21.8m AZ
max. = 7.507 (gal)
min. = -6.592 (gal)




CH04:No.23 GL-1.5m AX
max. = 19.104 (gal)
min. = -22.278 (gal)




CH05:No.23 GL-1.5m AY
max. = 28.503 (gal)
min. = -26.978 (gal)




CH06:No.23 GL-1.5m AZ
max. = 7.446 (gal)
min. = -7.019 (gal)




CH26:No.23 B2F AX
max. = 9.949 (gal)
min. = -9.521 (gal)




CH27:No.23 B2F AY
max. = 9.766 (gal)
min. = -9.399 (gal)




CH28:No.23 B2F AZ
max. = 7.507 (gal)
min. = -7.568 (gal)




CH29:No.23 B1F AX
max. = 8.545 (gal)
min. = -7.385 (gal)




CH30:No.23 B1F AY
max. = 8.545 (gal)
min. = -7.385 (gal)




CH31:No.23 B1F AZ
max. = 9.094 (gal)
min. = -8.728 (gal)




CH35:No.1 B1F AX
max. = 14.648 (gal)
min. = -12.695 (gal)




CH36:No.1 B1F AY
max. = 12.573 (gal)
min. = -12.085 (gal)




CH37:No.1 B1F AZ
max. = 6.470 (gal)
min. = -5.981 (gal)




CH42:No.1 1F AX
max. = 16.113 (gal)
min. = -13.306 (gal)




CH43:No.1 1F AY
max. = 13.184 (gal)
min. = -13.794 (gal)




CH44:No.1 1F AZ
max. = 6.409 (gal)
min. = -5.920 (gal)




CH45:No.23 3F AX
max. = 7.813 (gal)
min. = -6.714 (gal)




CH46:No.23 3F AY
max. = 6.836 (gal)
min. = -7.690 (gal)




CH47:No.23 3F AZ
max. = 9.521 (gal)
min. = -9.033 (gal)




CH48:No.1 3F AX
max. = 27.588 (gal)
min. = -24.170 (gal)




CH49:No.1 3F AY
max. = 26.001 (gal)
min. = -27.100 (gal)




CH50:No.1 3F AZ
max. = 10.010 (gal)
min. = -9.155 (gal)




CH51:No.23 6F AX
max. = 6.775 (gal)
min. = -7.080 (gal)



CH52:No.23 6F AY
max. = 7.141 (gal)
min. = -7.385 (gal)




CH53:No.23 6F AZ
max. = 10.315 (gal)
min. = -10.498 (gal)




0 20 40 60 80 100 120 140 160 (Sec)


CH54:No.1 6F AX
max. = 26.672 (gal)
min. = -31.677 (gal)




CH55:No.1 6F AY
max. = 21.484 (gal)
min. = -19.959 (gal)




CH56:No.1 6F AZ
max. = 14.465 (gal)
min. = -11.658 (gal)




CH58:No.23 8F AX
max. = 9.155 (gal)
min. = -8.911 (gal)




CH59:No.23 8F AY
max. = 9.644 (gal)
min. = -8.423 (gal)




CH60:No.23 8F AZ
max. = 11.475 (gal)
min. = -11.963 (gal)




CH62:No.1 8F AX
max. = 27.893 (gal)
min. = -28.748 (gal)



CH63:No.1 8F AY
max. = 22.705 (gal)
min. = -28.381 (gal)



CH64:No.1 8F AZ
max. = 15.259 (gal)
min. = -14.465 (gal)



0 20 40 60 80 100 120 140 160 (Sec)