




CH01:No.23 GL-21.8m AX
max. = 3.296 (gal)
min. = -3.662 (gal)




CH02:No.23 GL-21.8m AY
max. = 2.075 (gal)
min. = -2.319 (gal)




CH03:No.23 GL-21.8m AZ
max. = 1.587 (gal)
min. = -1.709 (gal)




CH04:No.23 GL-1.5m AX
max. = 8.118 (gal)
min. = -7.324 (gal)




CH05:No.23 GL-1.5m AY
max. = 10.437 (gal)
min. = -9.766 (gal)




CH06:No.23 GL-1.5m AZ
max. = 3.540 (gal)
min. = -4.700 (gal)




CH26:No.23 B2F AX
max. = 4.150 (gal)
min. = -3.113 (gal)




CH27:No.23 B2F AY
max. = 2.563 (gal)
min. = -3.540 (gal)




CH28:No.23 B2F AZ
max. = 1.648 (gal)
min. = -1.709 (gal)




CH29:No.23 B1F AX
max. = 2.686 (gal)
min. = -2.319 (gal)




CH30:No.23 B1F AY
max. = 1.648 (gal)
min. = -2.380 (gal)




CH31:No.23 B1F AZ
max. = 2.380 (gal)
min. = -2.380 (gal)




CH35:No.1 B1F AX
max. = 4.150 (gal)
min. = -5.432 (gal)




CH36:No.1 B1F AY
max. = 3.967 (gal)
min. = -5.310 (gal)




CH37:No.1 B1F AZ
max. = 2.136 (gal)
min. = -2.197 (gal)




CH42:No.1 1F AX
max. = 4.700 (gal)
min. = -6.042 (gal)




CH43:No.1 1F AY
max. = 3.845 (gal)
min. = -6.165 (gal)




CH44:No.1 1F AZ
max. = 2.319 (gal)
min. = -2.625 (gal)




CH45:No.23 3F AX
max. = 1.892 (gal)
min. = -1.892 (gal)




CH46:No.23 3F AY
max. = 1.526 (gal)
min. = -2.136 (gal)




CH47:No.23 3F AZ
max. = 2.563 (gal)
min. = -3.235 (gal)




CH48:No.1 3F AX
max. = 6.409 (gal)
min. = -7.141 (gal)




CH49:No.1 3F AY
max. = 7.019 (gal)
min. = -7.324 (gal)




CH50:No.1 3F AZ
max. = 3.723 (gal)
min. = -4.395 (gal)




CH51:No.23 6F AX
max. = 1.892 (gal)
min. = -1.648 (gal)



CH52:No.23 6F AY
max. = 1.526 (gal)
min. = -1.770 (gal)




CH53:No.23 6F AZ
max. = 3.418 (gal)
min. = -4.333 (gal)




(Sec)


CH54:No.1 6F AX
max. = 4.883 (gal)
min. = -5.310 (gal)




CH55:No.1 6F AY
max. = 5.493 (gal)
min. = -5.676 (gal)




CH56:No.1 6F AZ
max. = 7.690 (gal)
min. = -7.263 (gal)




CH58:No.23 8F AX
max. = 2.563 (gal)
min. = -2.930 (gal)




CH59:No.23 8F AY
max. = 2.014 (gal)
min. = -2.014 (gal)




CH60:No.23 8F AZ
max. = 4.395 (gal)
min. = -5.249 (gal)



CH62:No.1 8F AX
max. = 5.554 (gal)
min. = -6.042 (gal)



CH63:No.1 8F AY
max. = 4.639 (gal)
min. = -5.554 (gal)



CH64:No.1 8F AZ
max. = 8.911 (gal)
min. = -7.935 (gal)

