




CH01:No.23 GL-21.8m AX
max. = 2.808 (gal)
min. = -2.808 (gal)




CH02:No.23 GL-21.8m AY
max. = 3.418 (gal)
min. = -3.601 (gal)




CH03:No.23 GL-21.8m AZ
max. = 2.747 (gal)
min. = -2.747 (gal)




CH04:No.23 GL-1.5m AX
max. = 5.676 (gal)
min. = -6.470 (gal)




CH05:No.23 GL-1.5m AY
max. = 11.230 (gal)
min. = -11.414 (gal)




CH06:No.23 GL-1.5m AZ
max. = 2.991 (gal)
min. = -2.869 (gal)




CH26:No.23 B2F AX
max. = 4.150 (gal)
min. = -3.235 (gal)




CH27:No.23 B2F AY
max. = 3.662 (gal)
min. = -4.333 (gal)




CH28:No.23 B2F AZ
max. = 2.197 (gal)
min. = -2.502 (gal)




CH29:No.23 B1F AX
max. = 4.150 (gal)
min. = -3.357 (gal)




CH30:No.23 B1F AY
max. = 4.639 (gal)
min. = -3.906 (gal)




CH31:No.23 B1F AZ
max. = 2.747 (gal)
min. = -2.625 (gal)




CH35:No.1 B1F AX
max. = 4.517 (gal)
min. = -4.395 (gal)




CH36:No.1 B1F AY
max. = 5.432 (gal)
min. = -4.517 (gal)




CH37:No.1 B1F AZ
max. = 3.845 (gal)
min. = -2.625 (gal)




CH42:No.1 1F AX
max. = 5.310 (gal)
min. = -4.578 (gal)




CH43:No.1 1F AY
max. = 5.737 (gal)
min. = -4.822 (gal)




CH44:No.1 1F AZ
max. = 4.150 (gal)
min. = -3.357 (gal)




CH45:No.23 3F AX
max. = 2.625 (gal)
min. = -2.747 (gal)




CH46:No.23 3F AY
max. = 3.235 (gal)
min. = -2.991 (gal)




CH47:No.23 3F AZ
max. = 2.563 (gal)
min. = -3.174 (gal)




CH48:No.1 3F AX
max. = 11.780 (gal)
min. = -10.986 (gal)




CH49:No.1 3F AY
max. = 7.935 (gal)
min. = -7.996 (gal)




CH50:No.1 3F AZ
max. = 4.333 (gal)
min. = -4.089 (gal)




CH51:No.23 6F AX
max. = 3.357 (gal)
min. = -2.930 (gal)




CH52:No.23 6F AY
max. = 2.747 (gal)
min. = -3.235 (gal)




CH53:No.23 6F AZ
max. = 2.808 (gal)
min. = -3.235 (gal)




CH54:No.1 6F AX
max. = 13.550 (gal)
min. = -11.841 (gal)




CH55:No.1 6F AY
max. = 9.155 (gal)
min. = -9.094 (gal)




CH56:No.1 6F AZ
max. = 4.028 (gal)
min. = -4.822 (gal)




CH58:No.23 8F AX
max. = 4.211 (gal)
min. = -3.784 (gal)




CH59:No.23 8F AY
max. = 4.272 (gal)
min. = -4.700 (gal)




CH60:No.23 8F AZ
max. = 2.930 (gal)
min. = -3.235 (gal)




CH62:No.1 8F AX
max. = 12.329 (gal)
min. = -11.963 (gal)



CH63:No.1 8F AY
max. = 10.620 (gal)
min. = -10.071 (gal)



CH64:No.1 8F AZ
max. = 4.395 (gal)
min. = -5.676 (gal)



0 10 20 30 40 50 60 70 (Sec)