



QUAKE
2013/11/03 14:25:41.68 遅延時間:20.00Sec(時刻修正:11/03 14:00:00)


CH01:No.23 GL-21.8m AX
max. = 2.991 (gal)
min. = -2.502 (gal)




CH02:No.23 GL-21.8m AY
max. = 1.709 (gal)
min. = -2.258 (gal)




CH03:No.23 GL-21.8m AZ
max. = 2.136 (gal)
min. = -1.648 (gal)




CH04:No.23 GL-1.5m AX
max. = 7.629 (gal)
min. = -9.033 (gal)




CH05:No.23 GL-1.5m AY
max. = 7.629 (gal)
min. = -6.348 (gal)




CH06:No.23 GL-1.5m AZ
max. = 3.601 (gal)
min. = -3.052 (gal)




CH26:No.23 B2F AX
max. = 4.150 (gal)
min. = -3.906 (gal)



CH27:No.23 B2F AY
max. = 2.502 (gal)
min. = -2.625 (gal)




CH28:No.23 B2F AZ
max. = 1.526 (gal)
min. = -1.404 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 2.869 (gal)
min. = -4.272 (gal)




CH30:No.23 B1F AY
max. = 2.930 (gal)
min. = -2.502 (gal)




CH31:No.23 B1F AZ
max. = 2.319 (gal)
min. = -1.892 (gal)




CH35:No.1 B1F AX
max. = 5.005 (gal)
min. = -5.188 (gal)




CH36:No.1 B1F AY
max. = 3.540 (gal)
min. = -4.211 (gal)




CH37:No.1 B1F AZ
max. = 1.831 (gal)
min. = -2.258 (gal)




CH42:No.1 1F AX
max. = 5.493 (gal)
min. = -4.883 (gal)



CH43:No.1 1F AY
max. = 4.089 (gal)
min. = -4.395 (gal)




CH44:No.1 1F AZ
max. = 2.014 (gal)
min. = -2.625 (gal)




(Sec)


CH45:No.23 3F AX
max. = 2.747 (gal)
min. = -2.991 (gal)




CH46:No.23 3F AY
max. = 1.892 (gal)
min. = -2.502 (gal)




CH47:No.23 3F AZ
max. = 2.625 (gal)
min. = -2.380 (gal)




CH48:No.1 3F AX
max. = 10.742 (gal)
min. = -10.010 (gal)




CH49:No.1 3F AY
max. = 8.545 (gal)
min. = -7.629 (gal)




CH50:No.1 3F AZ
max. = 3.479 (gal)
min. = -4.272 (gal)




CH51:No.23 6F AX
max. = 3.296 (gal)
min. = -2.930 (gal)



CH52:No.23 6F AY
max. = 2.136 (gal)
min. = -2.075 (gal)




CH53:No.23 6F AZ
max. = 3.052 (gal)
min. = -2.930 (gal)




(Sec)


CH54:No.1 6F AX
max. = 7.507 (gal)
min. = -9.521 (gal)




CH55:No.1 6F AY
max. = 5.676 (gal)
min. = -5.981 (gal)




CH56:No.1 6F AZ
max. = 6.287 (gal)
min. = -7.324 (gal)




CH58:No.23 8F AX
max. = 4.028 (gal)
min. = -3.784 (gal)




CH59:No.23 8F AY
max. = 2.869 (gal)
min. = -2.563 (gal)




CH60:No.23 8F AZ
max. = 3.235 (gal)
min. = -3.723 (gal)




CH62:No.1 8F AX
max. = 8.484 (gal)
min. = -7.080 (gal)



CH63:No.1 8F AY
max. = 8.118 (gal)
min. = -7.935 (gal)



CH64:No.1 8F AZ
max. = 7.385 (gal)
min. = -7.813 (gal)



(Sec)