




CH01:No.23 GL-21.8m AX
max. = 12.512 (gal)
min. = -12.085 (gal)




CH02:No.23 GL-21.8m AY
max. = 9.644 (gal)
min. = -10.925 (gal)




CH03:No.23 GL-21.8m AZ
max. = 9.949 (gal)
min. = -6.836 (gal)




CH04:No.23 GL-1.5m AX
max. = 44.128 (gal)
min. = -47.852 (gal)




CH05:No.23 GL-1.5m AY
max. = 46.082 (gal)
min. = -40.466 (gal)




CH06:No.23 GL-1.5m AZ
max. = 15.442 (gal)
min. = -19.959 (gal)




CH26:No.23 B2F AX
max. = 19.409 (gal)
min. = -14.771 (gal)



CH27:No.23 B2F AY
max. = 11.353 (gal)
min. = -11.658 (gal)




CH28:No.23 B2F AZ
max. = 8.362 (gal)
min. = -8.728 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 7.751 (gal)
min. = -7.202 (gal)




CH30:No.23 B1F AY
max. = 7.446 (gal)
min. = -7.019 (gal)




CH31:No.23 B1F AZ
max. = 9.949 (gal)
min. = -10.864 (gal)




CH35:No.1 B1F AX
max. = 21.118 (gal)
min. = -19.653 (gal)




CH36:No.1 B1F AY
max. = 15.869 (gal)
min. = -19.043 (gal)




CH37:No.1 B1F AZ
max. = 11.597 (gal)
min. = -9.644 (gal)




CH42:No.1 1F AX
max. = 23.315 (gal)
min. = -20.752 (gal)



CH43:No.1 1F AY
max. = 16.907 (gal)
min. = -22.034 (gal)




CH44:No.1 1F AZ
max. = 11.780 (gal)
min. = -12.024 (gal)




(Sec)


CH45:No.23 3F AX
max. = 6.042 (gal)
min. = -6.714 (gal)




CH46:No.23 3F AY
max. = 5.676 (gal)
min. = -5.798 (gal)




CH47:No.23 3F AZ
max. = 10.193 (gal)
min. = -10.620 (gal)




CH48:No.1 3F AX
max. = 32.288 (gal)
min. = -41.626 (gal)




CH49:No.1 3F AY
max. = 21.179 (gal)
min. = -27.161 (gal)




CH50:No.1 3F AZ
max. = 15.686 (gal)
min. = -17.212 (gal)




CH51:No.23 6F AX
max. = 6.409 (gal)
min. = -6.104 (gal)



CH52:No.23 6F AY
max. = 4.578 (gal)
min. = -5.127 (gal)




CH53:No.23 6F AZ
max. = 11.841 (gal)
min. = -12.146 (gal)




(Sec)


CH54:No.1 6F AX
max. = 26.306 (gal)
min. = -33.691 (gal)




CH55:No.1 6F AY
max. = 15.503 (gal)
min. = -13.367 (gal)




CH56:No.1 6F AZ
max. = 26.917 (gal)
min. = -25.574 (gal)




CH58:No.23 8F AX
max. = 6.348 (gal)
min. = -8.606 (gal)




CH59:No.23 8F AY
max. = 7.751 (gal)
min. = -7.080 (gal)




CH60:No.23 8F AZ
max. = 12.207 (gal)
min. = -17.639 (gal)



CH62:No.1 8F AX
max. = 23.987 (gal)
min. = -22.766 (gal)



CH63:No.1 8F AY
max. = 15.015 (gal)
min. = -23.376 (gal)



CH64:No.1 8F AZ
max. = 32.410 (gal)
min. = -29.846 (gal)

