




CH01:No.23 GL-21.8m AX
max. = 6.287 (gal)
min. = -7.324 (gal)




CH02:No.23 GL-21.8m AY
max. = 4.028 (gal)
min. = -5.554 (gal)




CH03:No.23 GL-21.8m AZ
max. = 6.104 (gal)
min. = -6.226 (gal)




CH04:No.23 GL-1.5m AX
max. = 17.395 (gal)
min. = -14.343 (gal)




CH05:No.23 GL-1.5m AY
max. = 16.846 (gal)
min. = -21.973 (gal)




CH06:No.23 GL-1.5m AZ
max. = 8.545 (gal)
min. = -7.263 (gal)




CH26:No.23 B2F AX
max. = 6.653 (gal)
min. = -8.484 (gal)




CH27:No.23 B2F AY
max. = 5.005 (gal)
min. = -4.517 (gal)




CH28:No.23 B2F AZ
max. = 8.179 (gal)
min. = -6.470 (gal)




CH29:No.23 B1F AX
max. = 4.333 (gal)
min. = -6.104 (gal)




CH30:No.23 B1F AY
max. = 4.089 (gal)
min. = -3.113 (gal)




CH31:No.23 B1F AZ
max. = 8.179 (gal)
min. = -10.803 (gal)




CH35:No.1 B1F AX
max. = 11.658 (gal)
min. = -10.010 (gal)




CH36:No.1 B1F AY
max. = 8.179 (gal)
min. = -9.155 (gal)




CH37:No.1 B1F AZ
max. = 8.728 (gal)
min. = -6.653 (gal)




CH42:No.1 1F AX
max. = 12.329 (gal)
min. = -10.254 (gal)



CH43:No.1 1F AY
max. = 9.338 (gal)
min. = -9.827 (gal)




CH44:No.1 1F AZ
max. = 8.606 (gal)
min. = -7.019 (gal)




(Sec)


CH45:No.23 3F AX
max. = 3.174 (gal)
min. = -3.479 (gal)




CH46:No.23 3F AY
max. = 3.540 (gal)
min. = -2.930 (gal)




CH47:No.23 3F AZ
max. = 8.728 (gal)
min. = -11.780 (gal)




CH48:No.1 3F AX
max. = 11.414 (gal)
min. = -9.216 (gal)




CH49:No.1 3F AY
max. = 8.118 (gal)
min. = -9.827 (gal)




CH50:No.1 3F AZ
max. = 8.972 (gal)
min. = -9.033 (gal)




CH51:No.23 6F AX
max. = 3.052 (gal)
min. = -3.784 (gal)



CH52:No.23 6F AY
max. = 3.357 (gal)
min. = -3.296 (gal)




CH53:No.23 6F AZ
max. = 10.742 (gal)
min. = -13.916 (gal)




(Sec)


CH54:No.1 6F AX
max. = 9.399 (gal)
min. = -9.521 (gal)




CH55:No.1 6F AY
max. = 9.521 (gal)
min. = -13.489 (gal)




CH56:No.1 6F AZ
max. = 11.719 (gal)
min. = -10.925 (gal)




CH58:No.23 8F AX
max. = 4.944 (gal)
min. = -5.005 (gal)




CH59:No.23 8F AY
max. = 4.944 (gal)
min. = -3.723 (gal)




CH60:No.23 8F AZ
max. = 12.939 (gal)
min. = -16.724 (gal)



CH62:No.1 8F AX
max. = 7.751 (gal)
min. = -8.179 (gal)



CH63:No.1 8F AY
max. = 9.766 (gal)
min. = -10.803 (gal)



CH64:No.1 8F AZ
max. = 13.672 (gal)
min. = -13.245 (gal)

