




CH01:No.23 GL-21.8m AX  
max. = 1.526 (gal)  
min. = -2.014 (gal)




CH02:No.23 GL-21.8m AY  
max. = 1.709 (gal)  
min. = -1.709 (gal)




CH03:No.23 GL-21.8m AZ  
max. = 1.160 (gal)  
min. = -1.343 (gal)




CH04:No.23 GL-1.5m AX  
max. = 4.089 (gal)  
min. = -4.395 (gal)




CH05:No.23 GL-1.5m AY  
max. = 4.395 (gal)  
min. = -5.554 (gal)




CH06:No.23 GL-1.5m AZ  
max. = 1.831 (gal)  
min. = -1.404 (gal)




CH26:No.23 B2F AX  
max. = 2.441 (gal)  
min. = -1.709 (gal)




CH27:No.23 B2F AY  
max. = 2.319 (gal)  
min. = -1.953 (gal)




CH28:No.23 B2F AZ  
max. = 1.099 (gal)  
min. = -1.160 (gal)




CH29:No.23 B1F AX  
max. = 1.953 (gal)  
min. = -1.892 (gal)




CH30:No.23 B1F AY  
max. = 1.343 (gal)  
min. = -1.831 (gal)




CH31:No.23 B1F AZ  
max. = 2.502 (gal)  
min. = -2.258 (gal)




CH35:No.1 B1F AX  
max. = 2.502 (gal)  
min. = -2.808 (gal)




CH36:No.1 B1F AY  
max. = 1.831 (gal)  
min. = -3.174 (gal)




CH37:No.1 B1F AZ  
max. = 1.038 (gal)  
min. = -1.282 (gal)




CH42:No.1 1F AX  
max. = 2.930 (gal)  
min. = -2.869 (gal)




CH43:No.1 1F AY  
max. = 2.014 (gal)  
min. = -3.418 (gal)




CH44:No.1 1F AZ  
max. = 1.099 (gal)  
min. = -1.099 (gal)




CH45:No.23 3F AX  
max. = 2.319 (gal)  
min. = -1.770 (gal)




CH46:No.23 3F AY  
max. = 1.709 (gal)  
min. = -1.770 (gal)




CH47:No.23 3F AZ  
max. = 3.601 (gal)  
min. = -3.662 (gal)




CH48:No.1 3F AX  
max. = 3.479 (gal)  
min. = -3.540 (gal)




CH49:No.1 3F AY  
max. = 4.761 (gal)  
min. = -6.042 (gal)




CH50:No.1 3F AZ  
max. = 1.465 (gal)  
min. = -1.587 (gal)




CH51:No.23 6F AX  
max. = 2.686 (gal)  
min. = -2.075 (gal)




CH52:No.23 6F AY  
max. = 2.136 (gal)  
min. = -2.319 (gal)




CH53:No.23 6F AZ  
max. = 4.822 (gal)  
min. = -4.944 (gal)




CH54:No.1 6F AX  
max. = 3.906 (gal)  
min. = -4.822 (gal)




CH55:No.1 6F AY  
max. = 6.287 (gal)  
min. = -6.165 (gal)




CH56:No.1 6F AZ  
max. = 2.686 (gal)  
min. = -2.991 (gal)




CH58:No.23 8F AX  
max. = 2.991 (gal)  
min. = -2.625 (gal)




CH59:No.23 8F AY  
max. = 2.319 (gal)  
min. = -2.686 (gal)




CH60:No.23 8F AZ  
max. = 5.981 (gal)  
min. = -6.531 (gal)



CH62:No.1 8F AX  
max. = 5.615 (gal)  
min. = -6.958 (gal)



CH63:No.1 8F AY  
max. = 8.240 (gal)  
min. = -8.301 (gal)



CH64:No.1 8F AZ  
max. = 3.479 (gal)  
min. = -3.845 (gal)

