




CH01:No.23 GL-21.8m AX
max. = 4.028 (gal)
min. = -3.845 (gal)




CH02:No.23 GL-21.8m AY
max. = 3.357 (gal)
min. = -3.845 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.028 (gal)
min. = -2.930 (gal)




CH04:No.23 GL-1.5m AX
max. = 11.108 (gal)
min. = -12.512 (gal)




CH05:No.23 GL-1.5m AY
max. = 11.902 (gal)
min. = -12.817 (gal)




CH06:No.23 GL-1.5m AZ
max. = 5.920 (gal)
min. = -6.042 (gal)




CH26:No.23 B2F AX
max. = 4.578 (gal)
min. = -4.761 (gal)




CH27:No.23 B2F AY
max. = 4.456 (gal)
min. = -4.517 (gal)




CH28:No.23 B2F AZ
max. = 3.784 (gal)
min. = -3.113 (gal)




CH29:No.23 B1F AX
max. = 3.418 (gal)
min. = -3.296 (gal)




CH30:No.23 B1F AY
max. = 4.517 (gal)
min. = -4.333 (gal)




CH31:No.23 B1F AZ
max. = 5.493 (gal)
min. = -4.089 (gal)




CH35:No.1 B1F AX
max. = 6.714 (gal)
min. = -6.653 (gal)




CH36:No.1 B1F AY
max. = 7.935 (gal)
min. = -6.897 (gal)




CH37:No.1 B1F AZ
max. = 4.578 (gal)
min. = -3.296 (gal)




CH42:No.1 1F AX
max. = 6.653 (gal)
min. = -6.897 (gal)




CH43:No.1 1F AY
max. = 8.240 (gal)
min. = -6.958 (gal)




CH44:No.1 1F AZ
max. = 4.211 (gal)
min. = -3.723 (gal)




CH45:No.23 3F AX
max. = 3.052 (gal)
min. = -3.418 (gal)




CH46:No.23 3F AY
max. = 3.723 (gal)
min. = -4.211 (gal)




CH47:No.23 3F AZ
max. = 6.653 (gal)
min. = -4.578 (gal)




CH48:No.1 3F AX
max. = 12.451 (gal)
min. = -13.916 (gal)




CH49:No.1 3F AY
max. = 8.118 (gal)
min. = -9.460 (gal)




CH50:No.1 3F AZ
max. = 5.066 (gal)
min. = -5.798 (gal)




CH51:No.23 6F AX
max. = 3.479 (gal)
min. = -3.174 (gal)



CH52:No.23 6F AY
max. = 2.686 (gal)
min. = -3.052 (gal)




CH53:No.23 6F AZ
max. = 7.813 (gal)
min. = -6.287 (gal)




(Sec)


CH54:No.1 6F AX
max. = 12.451 (gal)
min. = -13.245 (gal)




CH55:No.1 6F AY
max. = 9.949 (gal)
min. = -10.620 (gal)




CH56:No.1 6F AZ
max. = 7.874 (gal)
min. = -9.155 (gal)




CH58:No.23 8F AX
max. = 3.723 (gal)
min. = -3.662 (gal)




CH59:No.23 8F AY
max. = 4.761 (gal)
min. = -3.967 (gal)




CH60:No.23 8F AZ
max. = 8.423 (gal)
min. = -7.874 (gal)




CH62:No.1 8F AX
max. = 13.428 (gal)
min. = -13.245 (gal)



CH63:No.1 8F AY
max. = 10.193 (gal)
min. = -11.719 (gal)



CH64:No.1 8F AZ
max. = 9.399 (gal)
min. = -10.376 (gal)



(Sec)