




CH01:No.23 GL-21.8m AX
max. = 16.968 (gal)
min. = -12.451 (gal)




CH02:No.23 GL-21.8m AY
max. = 27.344 (gal)
min. = -28.931 (gal)




CH03:No.23 GL-21.8m AZ
max. = 13.367 (gal)
min. = -18.799 (gal)




CH04:No.23 GL-1.5m AX
max. = 72.327 (gal)
min. = -72.144 (gal)




CH05:No.23 GL-1.5m AY
max. = 120.178 (gal)
min. = -95.703 (gal)




CH06:No.23 GL-1.5m AZ
max. = 33.875 (gal)
min. = -37.476 (gal)




CH26:No.23 B2F AX
max. = 20.630 (gal)
min. = -19.165 (gal)



CH27:No.23 B2F AY
max. = 30.212 (gal)
min. = -40.039 (gal)




CH28:No.23 B2F AZ
max. = 11.780 (gal)
min. = -13.184 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 13.428 (gal)
min. = -12.573 (gal)




CH30:No.23 B1F AY
max. = 19.959 (gal)
min. = -20.386 (gal)




CH31:No.23 B1F AZ
max. = 17.212 (gal)
min. = -18.738 (gal)




CH35:No.1 B1F AX
max. = 37.354 (gal)
min. = -28.015 (gal)




CH36:No.1 B1F AY
max. = 46.570 (gal)
min. = -70.984 (gal)




CH37:No.1 B1F AZ
max. = 13.916 (gal)
min. = -16.113 (gal)




CH42:No.1 1F AX
max. = 32.532 (gal)
min. = -26.855 (gal)



CH43:No.1 1F AY
max. = 49.438 (gal)
min. = -77.515 (gal)




CH44:No.1 1F AZ
max. = 13.184 (gal)
min. = -15.442 (gal)




(Sec)


CH45:No.23 3F AX
max. = 8.179 (gal)
min. = -8.850 (gal)




CH46:No.23 3F AY
max. = 17.456 (gal)
min. = -15.015 (gal)




CH47:No.23 3F AZ
max. = 17.883 (gal)
min. = -21.545 (gal)




CH48:No.1 3F AX
max. = 71.655 (gal)
min. = -56.946 (gal)




CH49:No.1 3F AY
max. = 102.539 (gal)
min. = -100.647 (gal)




CH50:No.1 3F AZ
max. = 24.353 (gal)
min. = -31.433 (gal)




CH51:No.23 6F AX
max. = 6.531 (gal)
min. = -6.165 (gal)




CH52:No.23 6F AY
max. = 9.155 (gal)
min. = -11.780 (gal)




CH53:No.23 6F AZ
max. = 25.391 (gal)
min. = -25.146 (gal)




CH54:No.1 6F AX
max. = 63.599 (gal)
min. = -53.467 (gal)




CH55:No.1 6F AY
max. = 77.942 (gal)
min. = -82.825 (gal)




CH56:No.1 6F AZ
max. = 45.349 (gal)
min. = -51.758 (gal)




CH58:No.23 8F AX
max. = 11.169 (gal)
min. = -12.573 (gal)




CH59:No.23 8F AY
max. = 24.170 (gal)
min. = -26.672 (gal)




CH60:No.23 8F AZ
max. = 33.997 (gal)
min. = -29.968 (gal)



CH62:No.1 8F AX
max. = 34.180 (gal)
min. = -37.476 (gal)



CH63:No.1 8F AY
max. = 75.134 (gal)
min. = -80.505 (gal)



CH64:No.1 8F AZ
max. = 51.758 (gal)
min. = -60.425 (gal)

