




CH01:No.23 GL-21.8m AX
max. = 9.033 (gal)
min. = -8.362 (gal)




CH02:No.23 GL-21.8m AY
max. = 10.132 (gal)
min. = -7.568 (gal)




CH03:No.23 GL-21.8m AZ
max. = 4.761 (gal)
min. = -4.822 (gal)




CH04:No.23 GL-1.5m AX
max. = 20.569 (gal)
min. = -24.719 (gal)




CH05:No.23 GL-1.5m AY
max. = 25.696 (gal)
min. = -25.085 (gal)




CH06:No.23 GL-1.5m AZ
max. = 8.057 (gal)
min. = -6.470 (gal)




CH26:No.23 B2F AX
max. = 9.644 (gal)
min. = -11.475 (gal)



CH27:No.23 B2F AY
max. = 11.353 (gal)
min. = -10.681 (gal)




CH28:No.23 B2F AZ
max. = 5.554 (gal)
min. = -5.676 (gal)




(Sec)


CH29:No.23 B1F AX
max. = 7.019 (gal)
min. = -5.493 (gal)




CH30:No.23 B1F AY
max. = 10.681 (gal)
min. = -14.343 (gal)




CH31:No.23 B1F AZ
max. = 6.714 (gal)
min. = -8.057 (gal)




CH35:No.1 B1F AX
max. = 18.555 (gal)
min. = -18.616 (gal)




CH36:No.1 B1F AY
max. = 14.465 (gal)
min. = -12.878 (gal)




CH37:No.1 B1F AZ
max. = 5.615 (gal)
min. = -6.104 (gal)




CH42:No.1 1F AX
max. = 19.165 (gal)
min. = -21.118 (gal)



CH43:No.1 1F AY
max. = 16.724 (gal)
min. = -14.465 (gal)




CH44:No.1 1F AZ
max. = 7.568 (gal)
min. = -7.690 (gal)




(Sec)


CH45:No.23 3F AX
max. = 6.287 (gal)
min. = -4.883 (gal)




CH46:No.23 3F AY
max. = 7.751 (gal)
min. = -8.606 (gal)




CH47:No.23 3F AZ
max. = 7.751 (gal)
min. = -8.850 (gal)




CH48:No.1 3F AX
max. = 22.949 (gal)
min. = -29.175 (gal)




CH49:No.1 3F AY
max. = 24.719 (gal)
min. = -21.240 (gal)




CH50:No.1 3F AZ
max. = 9.888 (gal)
min. = -12.573 (gal)




CH51:No.23 6F AX
max. = 4.883 (gal)
min. = -5.188 (gal)



CH52:No.23 6F AY
max. = 5.493 (gal)
min. = -5.981 (gal)




CH53:No.23 6F AZ
max. = 9.155 (gal)
min. = -9.277 (gal)




(Sec)


CH54:No.1 6F AX
max. = 18.311 (gal)
min. = -19.775 (gal)




CH55:No.1 6F AY
max. = 22.644 (gal)
min. = -28.870 (gal)




CH56:No.1 6F AZ
max. = 12.146 (gal)
min. = -16.785 (gal)




CH58:No.23 8F AX
max. = 8.118 (gal)
min. = -7.019 (gal)




CH59:No.23 8F AY
max. = 9.949 (gal)
min. = -12.756 (gal)




CH60:No.23 8F AZ
max. = 10.376 (gal)
min. = -10.437 (gal)



CH62:No.1 8F AX
max. = 17.822 (gal)
min. = -23.560 (gal)



CH63:No.1 8F AY
max. = 20.630 (gal)
min. = -25.330 (gal)



CH64:No.1 8F AZ
max. = 15.625 (gal)
min. = -18.188 (gal)

