




CH01:No.23 GL-21.8m AX
max. = 2.380 (gal)
min. = -2.502 (gal)




CH02:No.23 GL-21.8m AY
max. = 2.502 (gal)
min. = -2.625 (gal)




CH03:No.23 GL-21.8m AZ
max. = 1.099 (gal)
min. = -1.343 (gal)




CH04:No.23 GL-1.5m AX
max. = 3.296 (gal)
min. = -3.357 (gal)




CH05:No.23 GL-1.5m AY
max. = 3.235 (gal)
min. = -3.113 (gal)




CH06:No.23 GL-1.5m AZ
max. = 0.977 (gal)
min. = -0.916 (gal)




CH26:No.23 B2F AX
max. = 2.502 (gal)
min. = -1.953 (gal)




CH27:No.23 B2F AY
max. = 2.502 (gal)
min. = -2.930 (gal)




CH28:No.23 B2F AZ
max. = 1.038 (gal)
min. = -1.160 (gal)




CH29:No.23 B1F AX
max. = 3.113 (gal)
min. = -2.991 (gal)




CH30:No.23 B1F AY
max. = 4.028 (gal)
min. = -3.967 (gal)




CH31:No.23 B1F AZ
max. = 1.160 (gal)
min. = -1.343 (gal)




CH35:No.1 B1F AX
max. = 2.808 (gal)
min. = -2.380 (gal)




CH36:No.1 B1F AY
max. = 2.563 (gal)
min. = -2.869 (gal)




CH37:No.1 B1F AZ
max. = 1.465 (gal)
min. = -1.465 (gal)




CH42:No.1 1F AX
max. = 2.869 (gal)
min. = -2.441 (gal)




CH43:No.1 1F AY
max. = 2.747 (gal)
min. = -2.930 (gal)




CH44:No.1 1F AZ
max. = 1.343 (gal)
min. = -1.465 (gal)




CH45:No.23 3F AX
max. = 3.662 (gal)
min. = -3.113 (gal)




CH46:No.23 3F AY
max. = 4.028 (gal)
min. = -4.028 (gal)




CH47:No.23 3F AZ
max. = 1.221 (gal)
min. = -1.465 (gal)




CH48:No.1 3F AX
max. = 5.249 (gal)
min. = -5.249 (gal)




CH49:No.1 3F AY
max. = 6.104 (gal)
min. = -4.333 (gal)




CH50:No.1 3F AZ
max. = 1.526 (gal)
min. = -1.343 (gal)




CH51:No.23 6F AX
max. = 3.540 (gal)
min. = -3.235 (gal)




CH52:No.23 6F AY
max. = 4.150 (gal)
min. = -4.395 (gal)




CH53:No.23 6F AZ
max. = 1.221 (gal)
min. = -1.404 (gal)




CH54:No.1 6F AX
max. = 9.216 (gal)
min. = -10.315 (gal)




CH55:No.1 6F AY
max. = 10.132 (gal)
min. = -9.155 (gal)




CH56:No.1 6F AZ
max. = 1.465 (gal)
min. = -1.465 (gal)




CH58:No.23 8F AX
max. = 3.784 (gal)
min. = -3.723 (gal)




CH59:No.23 8F AY
max. = 4.456 (gal)
min. = -4.517 (gal)




CH60:No.23 8F AZ
max. = 1.160 (gal)
min. = -1.282 (gal)




CH62:No.1 8F AX
max. = 12.817 (gal)
min. = -14.404 (gal)



CH63:No.1 8F AY
max. = 11.353 (gal)
min. = -11.047 (gal)



CH64:No.1 8F AZ
max. = 1.343 (gal)
min. = -1.343 (gal)



(Sec)